

































过渡接头

过渡接头 ADAPTER










































型号索引

C

 1B PC1	 1B-WD PC2	 1B-2WD PC2	 1B4 PC3	 1B9 PC4	 1BG PC5
 1BG9-OG PC6	 1BG-OG PC7	 1BH-N PC8	 1BH9-OGN PC9	 1BJ PC10	 1BM PC11
 1BM-WD PC12	 1BK PC12	 1BN PC13	 1BO PC14	 1BT-SP PC15	 1BT9-SP PC16
 2B PC17	 2B9 PC18	 2B-G PC18	 2BJ PC19	 2GB PC20	 2HB-N PC21
 2NB PC22	 2OB PC23	 2TB-SP PC24	 2TB9-SP PC25	 2TB-GSP PC25	 3B PC26
 4B PC27	 4BN-WD PC27	 4B-WD PC28	 5B-G PC28	 5B PC29	 5BN PC30
 5BT PC30	 5GB PC31	 5OB PC31	 5NB PC32	 5TB-SP PC33	 5TB9-SP PC34

过渡接头 ADAPTER











































型号索引

 6B PC34	 7B PC35	 7B9-PK PC36	 7B-S PC36	 9B PC37	 AB PC37
 BB PC38	 CB PC38	 EB PC39	 FB PC39	 GB-PK PC40	 1S PC40
 1SB PC41	 1SG PC41	 1SG9-OG PC42	 1SN PC42	 1SO PC43	 1ST-SP PC44
 2S PC45	 4S PC45	 6S PC46	 9S PC46	 1T-SP PC47	 1T9-SP PC48
 1KT-SP PC49	 1OT-SP PC49	 4TN-GM PC50	 4T-SP PC50	 5T-SP PC51	 5OT PC52
 5T9-SP PC52	 7T PC53	 7T9-PK PC53	 GT-PK PC54	 1J PC55	 1J9 PC56
 1JB-WD PC57	 1JF PC58	 1JG PC59	 1JG9-OG PC60	 1JG-L PC61	 1JK PC61

过渡接头 ADAPTER






































型号索引

C

 1JH-N PC62	 1JH9-OGN PC63	 1JM PC64	 1JM-WD PC65	 1JN PC66	 1JN9 PC67
 1JN9-L PC68	 1JN9-LL PC68	 1JO PC69	 1JO4-OG PC70	 1JO9-OG PC71	 1JO9-UGL PC72
 1JO-L PC72	 1JS PC73	 1JT-SP PC74	 1JT4-SP PC75	 1JT9-SP PC76	 1JW PC77
 1JW9-IN PC77	 2J PC78	 2J4 PC79	 2J9 PC80	 2JB PC81	 2JF PC82
 2GJ PC82	 2NJ PC83	 2NJ9 PC84	 2MJ PC84	 2OJ PC85	 2TJ-SP PC86
 3J PC87	 4J PC87	 5J PC88	 5JB PC89	 5JB-GDK PC90	 5JB-G PC90
 5JN PC91	 5JN9 PC92	 5JN-BH PC92	 5JT PC93	 5JT9 PC93	 6J PC94







































过渡接头 ADAPTER

型号索引

 6J9 PC94	 9J PC95	 9J-CAP PC95	 AJ PC96	 AJ6JJ PC97	 AJGJ-OG PC97
 AJHJ-OGN PC98	 AJJ6J PC99	 AJJG-OG PC99	 AJJH-OGN PC100	 AJJN PC101	 AJJO-OG PC102
 AJJT-SP PC103	 AJNJ PC103	 AJOJ-OG PC104	 AJTJ-SP PC105	 BJ PC105	 CJ PC106
 DJ PC106	 EJ PC107	 EJNJ PC107	 HNNJ PC108	 JNJN PC108	 KJNJ PC109
 KJNN PC109	 LJJN PC110	 LJNN PC110	 NB200 PC111	 NB300 PC112	 NB500 PC112
 1F PC113	 1F9 PC114	 1FH-N PC114	 1FH9-OGN PC115	 1FN PC116	 1FN9 PC117
 1FO PC118	 1FO9-OG PC119	 1FO9-UGL PC120	 2F PC121	 2F9 PC122	 2FU9 PC123

过渡接头 ADAPTER
















型号索引

 2NF PC124	 2OF PC125	 4F PC125	 5F-S PC126	 6F PC127	 8F PC127
 9F-GM PC128	 AF PC128	 AFF6F PC129	 AF6FF PC129	 AFFO-OG PC130	 AFFN PC130
 BF PC131	 CF PC131	 NB200-F PC132	 NB300-F PC132	 NB500-F PC133	 2NU PC134
 2NU9 PC135	 2NU9-L PC136	 2OU PC136	 7NU-S PC137	 DU PC137	 1N PC138
 1N9 PC139	 1NO PC140	 1NO9-OG PC140	 1NT PC141	 1NP PC142	 1KN PC142
 4N PC143	 4NN PC144	 5GN PC145	 5HN-N PC145	 5N PC146	 5NO PC147
 5NT PC148	 5ON PC149	 5TN-SP PC150	 7N PC150	 7N9-PK PC151	 9N-CAP PC151

C


过渡接头 ADAPTER

型号索引

 GN-PK PC152	 AN PC152	 HN PC153	 JN PC153	 KN PC154	 LN PC154
 1O-OG PC155	 4O PC155	 4ON PC156	 5O PC157	 1H-N PC158	 4H-N PC158
 1K PC159	 1KG PC159	 1KH-N PC160	 4K PC161	 9K PC161	 4M PC162
 4MN-WD PC162					

过渡接头 ADAPTER

C




1B

英管外螺纹60°内锥或六角端面用组合垫密封
BSP MALE DOUBLE USE FOR 60°
CONE SEAT OR BONDED SEAL

代号 PART NO.	螺纹 THREAD		尺寸 DIMENSIONS			
	E	F	A	B	L	S1
1B-02Z	G1/8"X28	G1/8"X28	10	10	26	14
1B-02-04Z	G1/8"X28	G1/4"X19	10	12	28	19
1B-02-06Z	G1/8"X28	G3/8"X19	10	13.5	31.5	22
1B-02-08Z	G1/8"X28	G1/2"X14	10	16	36	27
1B-04Z	G1/4"X19	G1/4"X19	12	12	30	19
1B-04-06Z	G1/4"X19	G3/8"X19	12	13.5	33.5	22
1B-04-08Z	G1/4"X19	G1/2"X14	12	16	38	27
1B-04-10Z	G1/4"X19	G5/8"X14	12	17.5	39.5	30
1B-06Z	G3/8"X19	G3/8"X19	13.5	13.5	35	22
1B-06-08Z	G3/8"X19	G1/2"X14	13.5	16	39.5	27
1B-06-10Z	G3/8"X19	G5/8"X14	13.5	17.5	41	30
1B-06-12Z	G3/8"X19	G3/4"X14	13.5	18.5	43	32
1B-08Z	G1/2"X14	G1/2"X14	16	16	42	27
1B-08-10Z	G1/2"X14	G5/8"X14	16	17.5	43.5	30
1B-08-12Z	G1/2"X14	G3/4"X14	16	18.5	45.5	32
1B-10Z	G5/8"X14	G5/8"X14	17.5	17.5	45	30
1B-10-12Z	G5/8"X14	G3/4"X14	17.5	18.5	47	32
1B-10-16Z	G5/8"X14	G1"X11	17.5	20.5	51	41
1B-12Z	G3/4"X14	G3/4"X14	18.5	18.5	48	32
1B-12-16Z	G3/4"X14	G1"X11	18.5	20.5	52.5	41
1B-12-20Z	G3/4"X14	G1.1/4"X11	18.5	20.5	55	50
1B-16Z	G1"X11	G1"X11	20.5	20.5	54	41
1B-16-20Z	G1"X11	G1.1/4"X11	20.5	20.5	58	50
1B-16-24Z	G1"X11	G1.1/2"X11	20.5	23	60.5	55
1B-20Z	G1.1/4"X11	G1.1/4"X11	20.5	20.5	58	50
1B-20-24Z	G1.1/4"X11	G1.1/2"X11	20.5	23	60.5	55
1B-24Z	G1.1/2"X11	G1.1/2"X11	23	23	63	55
1B-24-32Z	G1.1/2"X11	G2"X11	23	25.5	66.5	70
1B-32Z	G2"X11	G2"X11	25.5	25.5	68	70
1B-40Z	G2.1/2"X11	G2.1/2"X11	32	32	81	90
1B-48Z	G3"X11	G3"X11	36	36	92	100

过渡接头 ADAPTER




1B-WD

英管外螺纹60°内锥或六角端面

用组合垫密封 / 英管外螺纹胶垫密封

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR
BONDED SEAL / BSP MALE CAPTIVE SEAL

代号 PART NO.	螺纹 THREAD		胶垫 CAPTIVE	尺寸 DIMENSIONS			
	E	F	F端	A	B	L	S1
1B-04WDZ	G1/4"X19	G1/4"X19	WD-B04	12	12	32	19
1B-04-06WDZ	G1/4"X19	G3/8"X19	WD-B06	12	12	34.5	22
1B-04-08WDZ	G1/4"X19	G1/2"X14	WD-B08	12	14	39	27
1B-06WDZ	G3/8"X19	G3/8"X19	WD-B06	13.5	12	34	22
1B-06-08WDZ	G3/8"X19	G1/2"X14	WD-B08	13.5	14	40.5	27
1B-08WDZ	G1/2"X14	G1/2"X14	WD-B08	16	14	43	27
1B-08-12WDZ	G1/2"X14	G3/4"X14	WD-B12	16	16	46	32
1B-12WDZ	G3/4"X14	G3/4"X14	WD-B12	18.5	16	46.5	32
1B-12-16WDZ	G3/4"X14	G1"X11	WD-B16	18.5	18	52.5	41
1B-16WDZ	G1"X11	G1"X11	WD-B16	20.5	18	54.5	41
1B-16-20WDZ	G1"X11	G1.1/4"X11	WD-B20	20.5	20	58.5	50
1B-20WDZ	G1.1/4"X11	G1.1/4"X11	WD-B20	20.5	20	58.5	50




1B-2WD

英管外螺纹胶垫密封

BSP MALE CAPTIVE SEAL

代号 PARTNO.	螺纹 THREAD		胶垫 CAPTIVE		尺寸 DIMENSIONS			
	E	F	E端	F端	A	B	L	S1
1B-02(2WD)Z	G1/8"X28	G1/8"X28	WD-B02	WD-B02	8	8	25	14
1B-02-04(2WD)Z	G1/8"X28	G1/4"X19	WD-B02	WD-B04	8	12	29.5	19
1B-04(2WD)Z	G1/4"X19	G1/4"X19	WD-B04	WD-B04	12	12	34	19
1B-04-06(2WD)Z	G1/4"X19	G3/8"X19	WD-B04	WD-B06	12	12	36.5	22
1B-06(2WD)Z	G3/8"X19	G3/8"X19	WD-B06	WD-B06	12	12	35	22
1B-06-08(2WD)Z	G3/8"X19	G1/2"X14	WD-B06	WD-B08	12	14	41.5	27
1B-08(2WD)Z	G1/2"X14	G1/2"X14	WD-B08	WD-B08	14	14	44	27
1B-08-12(2WD)Z	G1/2"X14	G3/4"X14	WD-B08	WD-B12	14	16	45	32
1B-12(2WD)Z	G3/4"X14	G3/4"X14	WD-B12	WD-B12	16	16	47	32
1B-12-16(2WD)Z	G3/4"X14	G1"X11	WD-B12	WD-B16	16	18	53	41
1B-16(2WD)Z	G1"X11	G1"X11	WD-B16	WD-B16	18	18	55	41
1B-16-20(2WD)Z	G1"X11	G1.1/4"X11	WD-B16	WD-B20	18	20	59	50
1B-20(2WD)Z	G1.1/4"X11	G1.1/4"X11	WD-B20	WD-B20	20	20	61	50
1B-20-24(2WD)Z	G1.1/4"X11	G1.1/2"X11	WD-B20	WD-B24	20	22	63	55
1B-24(2WD)Z	G1.1/2"X11	G1.1/2"X11	WD-B24	WD-B24	22	22	65	55
1B-24-32(2WD)Z	G1.1/2"X11	G2"X11	WD-B24	WD-B32	22	20	66	75
1B-32(2WD)Z	G2"X11	G2"X11	WD-B32	WD-B32	20	20	65	75

过渡接头 ADAPTER




1B4

英管外螺纹60°内锥 45°弯
BSP MALE 60° SEAT 45° ELBOW

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS		
	E	F	A	B	S1
1B4-02Z	G1/8"X28	G1/8"X28	17	17	11
1B4-04Z	G1/4"X19	G1/4"X19	20.5	20.5	14
1B4-04-06Z	G1/4"X19	G3/8"X19	21	22	16
1B4-06Z	G3/8"X19	G3/8"X19	22	22	16
1B4-06-08Z	G3/8"X19	G1/2"X14	24	27	22
1B4-08Z	G1/2"X14	G1/2"X14	27	27	22
1B4-08-12Z	G1/2"X14	G3/4"X14	28.5	31	27
1B4-10Z	G5/8"X14	G5/8"X14	28.5	28.5	22
1B4-10-12Z	G5/8"X14	G3/4"X14	30	31	27
1B4-12Z	G3/4"X14	G3/4"X14	31	31	27
1B4-12-16Z	G3/4"X14	G1"X11	32.5	35	33
1B4-16Z	G1"X11	G1"X11	35	35	33
1B4-16-20Z	G1"X11	G1.1/4"X11	38.5	38.5	41
1B4-20Z	G1.1/4"X11	G1.1/4"X11	38.5	38.5	41
1B4-20-24Z	G1.1/4"X11	G1.1/2"X11	41.5	44	48
1B4-24Z	G1.1/2"X11	G1.1/2"X11	44	44	48
1B4-32Z	G2"X11	G2"X11	51	51	63

过渡接头 ADAPTER




1B9

英管外螺纹60°内锥 90° 弯
BSP MALE 60° SEAT 90° ELBOW

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS		
	E	F	A	B	S1
1B9-02Z	G1/8"X28	G1/8"X28	19.8	19.8	11
1B9-02-04Z	G1/8"X28	G1/4"X19	23	25	14
1B9-04Z	G1/4"X19	G1/4"X19	24.5	24.5	14
1B9-04-06Z	G1/4"X19	G3/8"X19	26.5	27.5	16
1B9-06Z	G3/8"X19	G3/8"X19	27.5	27.5	16
1B9-06-08Z	G3/8"X19	G1/2"X14	31	34.5	22
1B9-08Z	G1/2"X14	G1/2"X14	34.5	34.5	22
1B9-08-12Z	G1/2"X14	G3/4"X14	37.5	40	27
1B9-10Z	G5/8"X14	G5/8"X14	35	35	22
1B9-10-12Z	G5/8"X14	G3/4"X14	38	39.5	27
1B9-12Z	G3/4"X14	G3/4"X14	40	40	27
1B9-12-16Z	G3/4"X14	G1"X11	43.5	46	33
1B9-16Z	G1"X11	G1"X11	46	46	33
1B9-16-20Z	G1"X11	G1.1/4"X11	50.5	50.5	41
1B9-20Z	G1.1/4"X11	G1.1/4"X11	50.5	50.5	41
1B9-20-24Z	G1.1/4"X11	G1.1/2"X11	54.5	57.5	48
1B9-24Z	G1.1/2"X11	G1.1/2"X11	57.5	57.5	48
1B9-32Z	G2"X11	G2"X11	68	68	63

过渡接头 ADAPTER



1BG


英管外螺纹60° 内锥或六角端面用
组合垫密封 / 英管外螺纹O形圈

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR
BONDED SEAL / BSP MALE O-RING

代号 PART NO.	螺 纹 THREAD		O形圈 O-RING	尺 寸 DIMENSIONS			
	E	F	F端	A	B	L	S1
1BG-02Z	G1/8"X28	G1/8"X28	O7.97X1.88	10	7.6	25	14
1BG-04Z	G1/4"X19	G1/4"X19	O111	12	11	30.5	19
1BG-04-06Z	G1/4"X19	G3/8"X19	O113	12	11.5	32	24
1BG-06Z	G3/8"X19	G3/8"X19	O113	13.5	11.5	34.5	24
1BG-06-04Z	G3/8"X19	G1/4"X19	O111	13.5	11	32	22
1BG-06-08Z	G3/8"X19	G1/2"X14	O17.86X2.62	13.5	14	39.5	27
1BG-08Z	G1/2"X14	G1/2"X14	O17.86X2.62	16	14	39.5	27
1BG-08-06Z	G1/2"X14	G3/8"X19	O113	16	11.5	39	27
1BG-08-12Z	G1/2"X14	G3/4"X14	O119	16	14.5	44	36
1BG-10-08Z	G5/8"X14	G1/2"X14	O17.86X2.62	17.5	14	43	30
1BG-12Z	G3/4"X14	G3/4"X14	O119	18.5	14.5	45.5	36
1BG-12-08Z	G3/4"X14	G1/2"X14	O17.86X2.62	18.5	14	44	32
1BG-16-08Z	G1"X11	G1/2"X14	O17.86X2.62	20.5	14	49	41
1BG-16Z	G1"X11	G1"X11	O217	20.5	18.6	53	41
1BG-16-12Z	G1"X11	G3/4"X14	O119	20.5	14.5	50.5	41
1BG-20Z	G1.1/4"X11	G1.1/4"X11	O222	20.5	20	58.5	50
1BG-24Z	G1.1/2"X11	G1.1/2"X11	O224	23	21.5	61.5	60

注：F螺纹端与ISO 1179-1油口匹配使用。 Note: F thread end fit with ISO1179-1 port.

过渡接头 ADAPTER




1BG9-OG

英管外螺纹60°内锥 / 英管外螺纹O形圈 90° 弯
BSP MALE 60° SEAT / BSP MALE O-RING 90° ELBOW

代号 PART NO.	螺纹 THREAD		O形圈 O-RING	尺寸 DIMENSIONS			
	E	F	F端	A	B	S1	S2
1BG9-04OGZ	G1/4"X19	G1/4"X19	O111	24.5	31.5	14	19
1BG9-04-06OGZ	G1/4"X19	G3/8"X19	O113	26.5	36.8	16	22
1BG9-06OGZ	G3/8"X19	G3/8"X19	O113	28	36.8	16	22
1BG9-06-08OGZ	G3/8"X19	G1/2"X14	O17.86X2.62	31	43.2	22	27
1BG9-08OGZ	G1/2"X14	G1/2"X14	O17.86X2.62	34.5	43.2	22	27
1BG9-08-12OGZ	G1/2"X14	G3/4"X14	O119	40	49.3	27	32
1BG9-12OGZ	G3/4"X14	G3/4"X14	O119	40	49.3	27	32
1BG9-12-16OGZ	G3/4"X14	G1"X11	O217	45	53	33	41
1BG9-16OGZ	G1"X11	G1"X11	O217	46	53	33	41
1BG9-20-16OGZ	G1.1/4"X11	G1"X11	O217	50.5	58	41	41
1BG9-20OGZ	G1.1/4"X11	G1.1/4"X11	O222	51	59	41	50
1BG9-24OGZ	G1.1/2"X11	G1.1/2"X11	O224	58.5	63	48	55

注：F螺纹端与ISO 1179-1油口匹配使用。 Note: F thread end fit with ISO1179-1 port.

过渡接头 ADAPTER



1BG-OG


英管外螺纹60°内锥或六角端面用组合垫密封 /
英管外螺纹O形圈

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR
BONDED SEAL / BSP MALE O-RING

代号 PART NO.	螺 纹 THREAD		O形圈 O-RING	尺 寸 DIMENSIONS				
	E	F		A	B	L	S1	S2
1BG-04OGZ	G1/4"X19	G1/4"X19	O111	12	21	39	19	19
1BG-04-06OGZ	G1/4"X19	G3/8"X19	O113	12	24	42	19	22
1BG-06-04OGZ	G3/8"X19	G1/4"X19	O111	13.5	21	42.5	22	19
1BG-06OGZ	G3/8"X19	G3/8"X19	O113	13.5	24	45.5	22	22
1BG-06-08OGZ	G3/8"X19	G1/2"X14	O17.86X2.62	13.5	28	49.5	22	27
1BG-08-06OGZ	G1/2"X14	G3/8"X19	O113	16	24	50	27	22
1BG-08OGZ	G1/2"X14	G1/2"X14	O17.86X2.62	16	28	54	27	27
1BG-12OGZ	G3/4"X14	G3/4"X14	O119	18.5	32.5	62	32	32
1BG-16-08OGZ	G1"X11	G1/2"X14	O17.86X2.62	20.5	28	61.5	41	27
1BG-16-12OGZ	G1"X11	G3/4"X14	O119	20.5	32.5	66	41	32
1BG-16OGZ	G1"X11	G1"X11	O217	20.5	32.5	66	41	41
1BG-20-08OGZ	G1.1/4"X11	G1/2"X14	O17.86X2.62	20.5	28	63.5	50	27
1BG-20OGZ	G1.1/4"X11	G1.1/4"X11	O222	20.5	33	68.5	50	50
1BG-24OGZ	G1.1/2"X11	G1.1/2"X11	O224	23	34	72	55	55

注：F螺纹端与ISO 1179-1油口匹配使用。 Note: F thread end fit with ISO1179-1 port.

过渡接头 ADAPTER



1BH-N


英管外螺纹60° 内锥或六角端面用
组合垫密封/公制外螺纹轻系列ISO 6149-3

BSP MALE DOUBLE USE FOR 60° CONE SEAT
OR BONDED SEAL /METRIC MALE L-SERIES ISO 6149-3

代号 PART NO.	螺纹 THREAD		O形圈 O-RING	尺寸 DIMENSIONS			
	E	F	F端	A	B	S1	L
1BH-02-10NZ	G1/8"X28	M10X1	O08.1X1.6	10	8.5	14	25
1BH-02-12NZ	G1/8"X28	M12X1.5	O09.3X2.2	10	11	17	29.5
1BH-04-12NZ	G1/4"X19	M12X1.5	O09.3X2.2	12	11	19	30
1BH-04-14NZ	G1/4"X19	M14X1.5	O11.3X2.2	12	11	19	31.5
1BH-04-16NZ	G1/4"X19	M16X1.5	O13.3X2.2	12	11.5	22	31.5
1BH-06-14NZ	G3/8"X19	M14X1.5	O11.3X2.2	13.5	11	22	35
1BH-06-16NZ	G3/8"X19	M16X1.5	O13.3X2.2	13.5	11.5	22	33
1BH-06-18NZ	G3/8"X19	M18X1.5	O15.3X2.2	13.5	12.5	24	36.5
1BH-08-18NZ	G1/2"X14	M18X1.5	O15.3X2.2	16	12.5	27	41
1BH-08-22NZ	G1/2"X14	M22X1.5	O19.3X2.2	16	13	27	41.5
1BH-10-22NZ	G5/8"X14	M22X1.5	O19.3X2.2	17.5	13	30	43
1BH-12-16NZ	G3/4"X14	M16X1.5	O13.3X2.2	18.5	11.5	32	43.5
1BH-12-22NZ	G3/4"X14	M22X1.5	O19.3X2.2	18.5	13	32	45
1BH-12-27NZ	G3/4"X14	M27X2	O23.6X2.9	18.5	16	32	45.5
1BH-16-27NZ	G1"X11	M27X2	O23.6X2.9	20.5	16	41	52
1BH-16-33NZ	G1"X11	M33X2	O29.6X2.9	20.5	16	41	49.5
1BH-20-42NZ	G1.1/4"X11	M42X2	O38.6X2.9	20.5	16	50	51.5
1BH-24-48NZ	G1.1/2"X11	M48X2	O44.6X2.9	23	17.5	55	55.5

注：F螺纹端与ISO 6149-1油口匹配使用。 Note: F thread end fit with ISO 6149-1 port.

过渡接头 ADAPTER




1BH9-OGN

英管外螺纹60°内锥/可调向公制O形圈
轻系列ISO 6149-3 90° 弯
BSP MALE 60° SEAT / ADJUSTABLE METRIC ORING
L-SERIES ISO 6149-3
90° ELBOW

代号 PART NO.	螺 纹 THREAD		O形圈 O-RING	尺 寸 DIMENSIONS			
	E	F	F端	A	B	S1	S2
1BH9-02-10OGNZ	G1/8"X28	M10X1	O08.1X1.6	20	26.5	11	14
1BH9-02-12OGNZ	G1/8"X28	M12X1.5	O09.3X2.2	20	30.5	11	17
1BH9-04-12OGNZ	G1/4"X19	M12X1.5	O09.3X2.2	24.5	32	14	17
1BH9-04-14OGNZ	G1/4"X19	M14X1.5	O11.3X2.2	24.5	32.5	14	19
1BH9-04-16OGNZ	G1/4"X19	M16X1.5	O13.3X2.2	26.5	34.8	16	22
1BH9-06-14OGNZ	G3/8"X19	M14X1.5	O11.3X2.2	27.5	34	16	19
1BH9-06-16OGNZ	G3/8"X19	M16X1.5	O13.3X2.2	27.5	34.8	16	22
1BH9-06-18OGNZ	G3/8"X19	M18X1.5	O15.3X2.2	28.5	37	19	24
1BH9-08-18OGNZ	G1/2"X14	M18X1.5	O15.3X2.2	34.5	39.5	22	24
1BH9-08-22OGNZ	G1/2"X14	M22X1.5	O19.3X2.2	34.5	40.2	22	27
1BH9-10-22OGNZ	G5/8"X14	M22X1.5	O19.3X2.2	35	40.2	22	27
1BH9-12-22OGNZ	G3/4"X14	M22X1.5	O19.3X2.2	40	43.5	27	27
1BH9-12-27OGNZ	G3/4"X14	M27X2	O23.6X2.9	40	48.5	27	32
1BH9-16-27OGNZ	G1"X11	M27X2	O23.6X2.9	46	52	33	32
1BH9-16-33OGNZ	G1"X11	M33X2	O29.6X2.9	46	52.5	33	41
1BH9-20-42OGNZ	G1.1/4"X11	M42X2	O38.6X2.9	50.5	57.2	41	50
1BH9-24-48OGNZ	G1.1/2"X11	M48X2	O44.6X2.9	57.5	62.5	48	55

注：F螺纹端与ISO 6149-1油口匹配使用。 Note: F thread end fit with ISO 6149-1 port.

过渡接头 ADAPTER




1BJ

英管外螺纹 60° 内锥或六角端面用组合垫密封 / 美制 JIC 外螺纹 74° 外锥

BSP MALE DOUBLE USE FOR 60° CONE SEAT
OR BONDED SEAL / JIC MALE 74° CONE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS			
	E	F	A	B	L	S1
1BJ-02-04Z	G1/8"X28	7/16"X20	10	14	30	14
1BJ-02-05Z	G1/8"X28	1/2"X20	10	14	30	14
1BJ-02-06Z	G1/8"X28	9/16"X18	10	14.1	30	17
1BJ-04Z	G1/4"X19	7/16"X20	12	14	32	19
1BJ-04-05Z	G1/4"X19	1/2"X20	12	14	32	19
1BJ-04-06Z	G1/4"X19	9/16"X18	12	14.1	32	19
1BJ-04-08Z	G1/4"X19	3/4"X16	12	16.7	36.5	22
1BJ-04-10Z	G1/4"X19	7/8"X14	12	19.3	39	24
1BJ-06Z	G3/8"X19	9/16"X18	13.5	14.1	35.5	22
1BJ-06-04Z	G3/8"X19	7/16"X20	13.5	14	35.5	22
1BJ-06-05Z	G3/8"X19	1/2"X20	13.5	14	35.5	22
1BJ-06-08Z	G3/8"X19	3/4"X16	13.5	16.7	38.5	22
1BJ-06-10Z	G3/8"X19	7/8"X14	13.5	19.3	41	24
1BJ-06-12Z	G3/8"X19	1.1/16"X12	13.5	21.9	45	30
1BJ-08Z	G1/2"X14	3/4"X16	16	16.7	43	27
1BJ-08-04Z	G1/2"X14	7/16"X20	16	14	40	27
1BJ-08-05Z	G1/2"X14	1/2"X20	16	14	40	27
1BJ-08-06Z	G1/2"X14	9/16"X18	16	14.1	40	27
1BJ-08-10Z	G1/2"X14	7/8"X14	16	19.3	45.5	27
1BJ-08-12Z	G1/2"X14	1.1/16"X12	16	21.9	48	30
1BJ-08-14Z	G1/2"X14	1.3/16"X12	16	22.6	49.5	32
1BJ-08-16Z	G1/2"X14	1.5/16"X12	16	23.1	50	36
1BJ-10Z	G5/8"X14	7/8"X14	17.5	19.3	47	30
1BJ-10-08Z	G5/8"X14	3/4"X16	17.5	16.7	44	30
1BJ-10-12Z	G5/8"X14	1.1/16"X12	17.5	21.9	49.5	30
1BJ-10-16Z	G5/8"X14	1.5/16"X12	17.5	23.1	51.5	36
1BJ-12Z	G3/4"X14	1.1/16"X12	18.5	21.9	51.5	32
1BJ-12-06Z	G3/4"X14	9/16"X18	18.5	14.1	43.5	32
1BJ-12-08Z	G3/4"X14	3/4"X16	18.5	16.7	46.5	32
1BJ-12-10Z	G3/4"X14	7/8"X14	18.5	19.3	49	32
1BJ-12-14Z	G3/4"X14	1.3/16"X12	18.5	22.6	52	32
1BJ-12-16Z	G3/4"X14	1.5/16"X12	18.5	23.1	52.5	34
1BJ-12-20Z	G3/4"X14	1.5/8"X12	18.5	24.3	55.5	46
1BJ-16Z	G1"X11	1.5/16"X12	20.5	23.1	56	41
1BJ-16-08Z	G1"X11	3/4"X16	20.5	16.7	50	41
1BJ-16-10Z	G1"X11	7/8"X14	20.5	19.3	53	41
1BJ-16-12Z	G1"X11	1.1/16"X12	20.5	21.9	55.5	41
1BJ-16-14Z	G1"X11	1.3/16"X12	20.5	22.6	56	41
1BJ-16-20Z	G1"X11	1.5/8"X12	20.5	24.3	58	46
1BJ-20Z	G1.1/4"X11	1.5/8"X12	20.5	24.3	62	50
1BJ-20-12Z	G1.1/4"X11	1.1/16"X12	20.5	21.9	57.5	50
1BJ-20-16Z	G1.1/4"X11	1.5/16"X12	20.5	23.1	60.5	50
1BJ-20-24Z	G1.1/4"X11	1.7/8"X12	20.5	27.5	63	50
1BJ-24-16Z	G1.1/2"X11	1.5/16"X12	23	23.1	61	55
1BJ-24-20Z	G1.1/2"X11	1.5/8"X12	23	24.3	62.5	55
1BJ-24Z	G1.1/2"X11	1.7/8"X12	23	27.5	67.5	55
1BJ-24-32Z	G1.1/2"X11	2.1/2"X12	23	33.9	74	65
1BJ-32Z	G2"X11	2.1/2"X12	25.5	33.9	77.5	70
1BJ-32-24Z	G2"X11	1.7/8"X12	25.5	27.5	70	70

过渡接头 ADAPTER




1BM

英管外螺纹60°内锥或六角端面用组合垫密封 /
公制外螺纹60°内锥或六角端面用组合垫密封

BSP MALE DOUBLE USE FOR 60°CONE SEAT
OR BONDED SEAL / METRIC MALE DOUBLE
USE FOR 60°CONE SEAT OR BONDED SEAL

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS			
	E	F	A	B	L	S1
1BM-02-10Z	G1/8"X28	M10X1	10	8	25	14
1BM-02-12Z	G1/8"X28	M12X1.5	10	10	27	17
1BM-04-12Z	G1/4"X19	M12X1.5	12	10	29	19
1BM-04-14Z	G1/4"X19	M14X1.5	12	11	30	19
1BM-04-16Z	G1/4"X19	M16X1.5	12	12	33	22
1BM-04-18Z	G1/4"X19	M18X1.5	12	12	33	24
1BM-06-10Z	G3/8"X19	M10X1	13.5	8	29	22
1BM-06-12Z	G3/8"X19	M12X1.5	13.5	10	31.5	22
1BM-06-14Z	G3/8"X19	M14X1.5	13.5	11	32.5	22
1BM-06-16Z	G3/8"X19	M16X1.5	13.5	12	33.5	22
1BM-06-18Z	G3/8"X19	M18X1.5	13.5	12	34.5	24
1BM-06-20Z	G3/8"X19	M20X1.5	13.5	14	38.5	27
1BM-06-22Z	G3/8"X19	M22X1.5	13.5	14	38.5	27
1BM-08-14Z	G1/2"X14	M14X1.5	16	11	38	27
1BM-08-16Z	G1/2"X14	M16X1.5	16	12	39	27
1BM-08-18Z	G1/2"X14	M18X1.5	16	12	39	27
1BM-08-20Z	G1/2"X14	M20X1.5	16	14	41	27
1BM-08-22Z	G1/2"X14	M22X1.5	16	14	41	27
1BM-08-24Z	G1/2"X14	M24X1.5	16	14	41	30
1BM-08-26Z	G1/2"X14	M26X1.5	16	16	44	32
1BM-08-27DZ	G1/2"X14	M27X1.5	16	16	44	32
1BM-08-30Z	G1/2"X14	M30X1.5	16	18	45	36
1BM-10-22Z	G5/8"X14	M22X1.5	17.5	14	42.5	30
1BM-10-26Z	G5/8"X14	M26X1.5	17.5	16	45.5	32
1BM-12-18Z	G3/4"X14	M18X1.5	18.5	12	42.5	32
1BM-12-20Z	G3/4"X14	M20X1.5	18.5	14	44.5	32
1BM-12-22Z	G3/4"X14	M22X1.5	18.5	14	44.5	32
1BM-12-24Z	G3/4"X14	M24X1.5	18.5	14	44.5	32
1BM-12-26Z	G3/4"X14	M26X1.5	18.5	16	46.5	32
1BM-12-27Z	G3/4"X14	M27X2	18.5	16	46.5	32
1BM-12-27DZ	G3/4"X14	M27X1.5	18.5	16	46.5	32
1BM-12-30Z	G3/4"X14	M30X2	18.5	18	47.5	36
1BM-12-30DZ	G3/4"X14	M30X1.5	18.5	18	47.5	36
1BM-16-14Z	G1"X11	M14X1.5	20.5	11	45.5	41
1BM-16-22Z	G1"X11	M22X1.5	20.5	14	48.5	41
1BM-16-26Z	G1"X11	M26X1.5	20.5	16	50.5	41
1BM-16-30Z	G1"X11	M30X2	20.5	18	53	41
1BM-16-30DZ	G1"X11	M30X1.5	20.5	18	53	41


过渡接头 ADAPTER



1BM-WD

英管外螺纹60°锥 / 公制外螺纹胶垫密封
BSPP MALE 60° CONE / METRIC MALE CAPTIVE SEAL

代号 PART NO.	螺纹 THREAD		胶垫 CAPTIVE	尺寸 DIMENSIONS			
	E	F	F端	A	B	L	S1
1BM-04-12WDZ	G1/4"X19	M12X1.5	WD-M12	12	12	32	19
1BM-06-14WDZ	G3/8"X19	M14X1.5	WD-M14	13.5	12	35.5	22
1BM-06-18WDZ	G3/8"X19	M18X1.5	WD-M18	13.5	12	36	24
1BM-06-20WDZ	G3/8"X19	M20X1.5	WD-M20	13.5	14	40	27
1BM-08-16WDZ	G1/2"X14	M16X1.5	WD-M16	16	12	40	27
1BM-08-18WDZ	G1/2"X14	M18X1.5	WD-M18	16	12	40.5	27
1BM-08-20WDZ	G1/2"X14	M20X1.5	WD-M20	16	14	42.5	27
1BM-08-22WDZ	G1/2"X14	M22X1.5	WD-M22	16	14	43	27
1BM-10-20WDZ	G5/8"X14	M20X1.5	WD-M20	17.5	14	44.5	30
1BM-10-22WDZ	G5/8"X14	M22X1.5	WD-M22	17.5	14	44.5	30
1BM-12-22WDZ	G3/4"X14	M22X1.5	WD-M22	18.5	14	46.5	32




1BK

英管外螺纹60°内锥/日本公制外螺纹60°外锥
BSP MALE 60° SEAT/JIS METRIC MALE 60° CONE

代号 PART NO.	螺纹 THREAD		尺寸 DIMENSIONS			
	E	F	A	B	L	S1
1BK-04-14Z	G1/4"X19	M14X1.5	12	17	35	19
1BK-04-18Z	G1/4"X19	M18X1.5	12	18	38	22
1BK-06-18Z	G3/8"X19	M18X1.5	13.5	18	39.5	22
1BK-06-22Z	G3/8"X19	M22X1.5	13.5	20	41.5	24
1BK-08-18Z	G1/2"X14	M18X1.5	16	18	44	27
1BK-08-20Z	G1/2"X14	M20X1.5	16	20	46	27
1BK-08-22Z	G1/2"X14	M22X1.5	16	20	46	27
1BK-08-24Z	G1/2"X14	M24X1.5	16	21.5	45.5	27
1BK-10-24Z	G5/8"X14	M24X1.5	17.5	21.5	49	30
1BK-12-30Z	G3/4"X14	M30X1.5	18.5	26	55.5	32
1BK-16-33Z	G1"X11	M33X1.5	20.5	30	63.5	41
1BK-20-36Z	G1.1/4"X11	M36X1.5	20.5	33	68.5	50

过渡接头 ADAPTER




1BN

英管外螺纹60°内锥或六角端面用组合垫密封 /
美制布锥管外螺纹
BSP MALE DOUBLE USE FOR 60° CONE SEAT
OR BONDED SEAL / NPT MALE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS			
	E	F	A	B	L	S1
1BN-02Z	G1/8"X28	Z1/8"X27	10	10.5	26	14
1BN-02-04Z	G1/8"X28	Z1/4"X18	10	15	31	17
1BN-04Z	G1/4"X19	Z1/4"X18	12	15	33	19
1BN-04-02Z	G1/4"X19	Z1/8"X27	12	10.5	28	19
1BN-04-06Z	G1/4"X19	Z3/8"X18	12	16	34	19
1BN-04-08Z	G1/4"X19	Z1/2"X14	12	19.5	39.5	22
1BN-06Z	G3/8"X19	Z3/8"X18	13.5	16	37.5	22
1BN-06-04Z	G3/8"X19	Z1/4"X18	13.5	15	36.5	22
1BN-06-08Z	G3/8"X19	Z1/2"X14	13.5	19.5	41	22
1BN-06-12Z	G3/8"X19	Z3/4"X14	13.5	19.5	43	30
1BN-08Z	G1/2"X14	Z1/2"X14	16	19.5	45.5	27
1BN-08-06Z	G1/2"X14	Z3/8"X18	16	15	42	27
1BN-08-12Z	G1/2"X14	Z3/4"X14	16	19.5	45.5	30
1BN-08-16Z	G1/2"X14	Z1"X11.5	16	25.5	52.5	36
1BN-10-08Z	G5/8"X14	Z1/2"X14	17.5	19.5	47	30
1BN-10-12Z	G5/8"X14	Z3/4"X14	17.5	19.5	47	30
1BN-12Z	G3/4"X14	Z3/4"X14	18.5	19.8	49	32
1BN-12-06Z	G3/4"X14	Z3/8"X18	18.5	16	45.5	32
1BN-12-08Z	G3/4"X14	Z1/2"X14	18.5	19.8	49	32
1BN-12-16Z	G3/4"X14	Z1"X11.5	18.5	24.6	53.4	36
1BN-16Z	G1"X11	Z1"X11.5	20.5	24.6	59	41
1BN-16-12Z	G1"X11	Z3/4"X14	20.5	19.8	53	41
1BN-16-20Z	G1"X11	Z1.1/4"X11.5	20.5	26.5	60	46
1BN-20Z	G1.1/4"X11	Z1.1/4"X11.5	20.5	25.4	62	50
1BN-20-16Z	G1.1/4"X11	Z1"X11.5	20.5	25.5	61	50
1BN-20-24Z	G1.1/4"X11	Z1.1/2"X11.5	20.5	27.5	63	50
1BN-24Z	G1.1/2"X11	Z1.1/2"X11.5	23	27.5	65.5	55
1BN-24-20Z	G1.1/2"X11	Z1.1/4"X11.5	23	26.5	64.5	55
1BN-24-32Z	G1.1/2"X11	Z2"X11.5	23	27.5	67.5	65
1BN-32Z	G2"X11	Z2"X11.5	25.5	26.9	70	70
1BN-32-20Z	G2"X11	Z1.1/4"X11.5	25.5	26.5	69	70
1BN-32-24Z	G2"X11	Z1.1/2"X11.5	25.5	27.5	70	70

过渡接头 ADAPTER



1BO

英管外螺纹60°内锥或六角端面用组合垫密封 /


美制SAE外螺纹O形圈轻系列ISO 11926-3

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL / SAE O-RING BOSS L-SERIES ISO 11926-3

代号 PART NO.	螺 纹 THREAD		O形圈 O-RING	尺 寸 DIMENSIONS			
	E	F	F端	A	B	L	S1
1BO-04Z	G1/4"X19	7/16"X20	O904	12	9.1	29	19
1BO-04-05Z	G1/4"X19	1/2"X20	O905	12	9.1	27	19
1BO-04-06Z	G1/4"X19	9/16"X18	O906	12	9.9	28	19
1BO-04-08Z	G1/4"X19	3/4"X16	O908	12	11.1	31	22
1BO-06Z	G3/8"X19	9/16"X18	O906	13.5	9.9	33.5	22
1BO-06-04Z	G3/8"X19	7/16"X20	O904	13.5	9.1	33	22
1BO-06-08Z	G3/8"X19	3/4"X16	O908	13.5	11.1	32.5	22
1BO-06-10Z	G3/8"X19	7/8"X14	O910	13.5	12.7	36	27
1BO-08Z	G1/2"X14	3/4"X16	O908	16	11.1	37	27
1BO-08-06Z	G1/2"X14	9/16"X18	O906	16	9.9	38	27
1BO-08-10Z	G1/2"X14	7/8"X14	O910	16	12.7	38.5	27
1BO-08-12Z	G1/2"X14	1.1/16"X12	O912	16	15.1	42	32
1BO-10Z	G5/8"X14	7/8"X14	O910	17.5	12.7	43	30
1BO-10-08Z	G5/8"X14	3/4"X16	O908	17.5	11.1	41.5	30
1BO-10-12Z	G5/8"X14	1.1/16"X12	O912	17.5	15.1	43.5	32
1BO-12Z	G3/4"X14	1.1/16"X12	O912	18.5	15.1	44.5	32
1BO-12-08Z	G3/4"X14	3/4"X16	O908	18.5	11.1	40.5	32
1BO-12-10Z	G3/4"X14	7/8"X14	O910	18.5	12.7	45.5	32
1BO-12-14Z	G3/4"X14	1.3/16"X12	O914	18.5	15.1	44.5	36
1BO-12-16Z	G3/4"X14	1.5/16"X12	O916	18.5	15.1	44.5	38
1BO-16Z	G1"X11	1.5/16"X12	O916	20.5	15.1	48	41
1BO-16-10Z	G1"X11	7/8"X14	O910	20.5	12.7	49.5	41
1BO-16-12Z	G1"X11	1.1/16"X12	O912	20.5	15.1	51.5	41
1BO-16-14Z	G1"X11	1.3/16"X12	O914	20.5	15.1	51.5	41
1BO-16-20Z	G1"X11	1.5/8"X12	O920	20.5	15.1	50.5	50
1BO-20Z	G1.1/4"X11	1.5/8"X12	O920	20.5	15.1	50.5	50
1BO-20-16Z	G1.1/4"X11	1.5/16"X12	O916	20.5	15.1	54.5	50
1BO-24Z	G1.1/2"X11	1.7/8"X12	O924	23	15.1	53	55

注：F螺纹端与ISO 11926-1油口匹配使用。 Note: F thread end fit with ISO11926-1 port.

过渡接头 ADAPTER



1BT-SP


英管外螺纹60° 内锥或六角端面用
组合垫密封 / 英锥管外螺纹

BSP MALE DOUBLE USE FOR 60° CONE SEAT
OR BONDED SEAL / BSPT MALE

C

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS			
	E	F	A	B	L	S1
1BT-02SPZ	G1/8"X28	R1/8"X28	10	10	26	14
1BT-02-04SPZ	G1/8"X28	R1/4"X19	10	14.5	30.5	14
1BT-04SPZ	G1/4"X19	R1/4"X19	12	14.5	32	19
1BT-04-02SPZ	G1/4"X19	R1/8"X28	12	10	28	19
1BT-04-06SPZ	G1/4"X19	R3/8"X19	12	15	32	19
1BT-04-08SPZ	G1/4"X19	R1/2"X14	12	20	40	24
1BT-06SPZ	G3/8"X19	R3/8"X19	13.5	15	35.5	22
1BT-06-04SPZ	G3/8"X19	R1/4"X19	13.5	14.5	35.5	22
1BT-06-08SPZ	G3/8"X19	R1/2"X14	13.5	20	40.5	24
1BT-08SPZ	G1/2"X14	R1/2"X14	16	20	45	27
1BT-08-04SPZ	G1/2"X14	R1/4"X19	16	14.5	40.5	27
1BT-08-06SPZ	G1/2"X14	R3/8"X19	16	15	40	27
1BT-08-12SPZ	G1/2"X14	R3/4"X14	16	20	45	30
1BT-10-06SPZ	G5/8"X14	R3/8"X19	17.5	15.5	41.5	30
1BT-10-08SPZ	G5/8"X14	R1/2"X14	17.5	20	46.5	30
1BT-10-12SPZ	G5/8"X14	R3/4"X14	17.5	20	46.5	30
1BT-10-16SPZ	G5/8"X14	R1"X11	17.5	25.5	54	36
1BT-12SPZ	G3/4"X14	R3/4"X14	18.5	20	48.5	32
1BT-12-08SPZ	G3/4"X14	R1/2"X14	18.5	20	48.5	32
1BT-12-16SPZ	G3/4"X14	R1"X11	18.5	25.5	53.5	36
1BT-12-20SPZ	G3/4"X14	R1.1/4"X11	18.5	26.5	58	46
1BT-16SPZ	G1"X11	R1"X11	20.5	25.5	58	41
1BT-16-12SPZ	G1"X11	R3/4"X14	20.5	20	53	41
1BT-16-20SPZ	G1"X11	R1.1/4"X11	20.5	26.5	60	46
1BT-20SPZ	G1.1/4"X11	R1.1/4"X11	20.5	26.5	62	50
1BT-20-12SPZ	G1.1/4"X11	R3/4"X14	20.5	20.5	56	50
1BT-20-16SPZ	G1.1/4"X11	R1"X11	20.5	25.5	61	50
1BT-20-24SPZ	G1.1/4"X11	R1.1/2"X11	20.5	26.5	62	50
1BT-24SPZ	G1.1/2"X11	R1.1/2"X11	23	26.5	64.5	55
1BT-24-16SPZ	G1.1/2"X11	R1"X11	23	26	63.5	55
1BT-24-20SPZ	G1.1/2"X11	R1.1/4"X11	23	26.5	64.5	55
1BT-24-32SPZ	G1.1/2"X11	R2"X11	23	30	70	65
1BT-32SPZ	G2"X11	R2"X11	25.5	30	72.5	70
1BT-32-20SPZ	G2"X11	R1.1/4"X11	25.5	27	68.5	70
1BT-32-24SPZ	G2"X11	R1.1/2"X11	25.5	26.5	68.5	70
1BT-40SPZ	G2.1/2"X11	R2.1/2"X11	32	34	83	90
1BT-48SPZ	G3"X11	R3"X11	36	38	94	100

过渡接头 ADAPTER




1BT9-SP

英管外螺纹60°内锥 / 英锥管外螺纹 90° 弯
BSP MALE 60° SEAT / BSPT MALE 90° ELBOW

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS		
	E	F	A	B	S1
1BT9-02SPZ	G1/8"X28	R1/8"X28	20	21	11
1BT9-02-04SPZ	G1/8"X28	R1/4"X19	22.3	25.5	14
1BT9-04SPZ	G1/4"X19	R1/4"X19	24.5	25.5	14
1BT9-04-02SPZ	G1/4"X19	R1/8"X28	25	23.5	14
1BT9-04-06SPZ	G1/4"X19	R3/8"X19	25	28.5	16
1BT9-04-08SPZ	G1/4"X19	R1/2"X14	30	36	22
1BT9-06SPZ	G3/8"X19	R3/8"X19	27.5	28.5	16
1BT9-06-04SPZ	G3/8"X19	R1/4"X19	27.5	26.5	16
1BT9-06-08SPZ	G3/8"X19	R1/2"X14	31	36	22
1BT9-08SPZ	G1/2"X14	R1/2"X14	34.5	36	22
1BT9-08-04SPZ	G1/2"X14	R1/4"X19	34	30.5	22
1BT9-08-06SPZ	G1/2"X14	R3/8"X19	34.5	32.5	22
1BT9-08-12SPZ	G1/2"X14	R3/4"X14	37.5	43.5	27
1BT9-08-16SPZ	G1/2"X14	R1"X11	41	50	33
1BT9-10-08SPZ	G5/8"X14	R1/2"X14	35	36	22
1BT9-10-12SPZ	G5/8"X14	R3/4"X14	39	43.5	27
1BT9-12SPZ	G3/4"X14	R3/4"X14	40	43.5	27
1BT9-12-06SPZ	G3/4"X14	R3/8"X19	40	36	27
1BT9-12-08SPZ	G3/4"X14	R1/2"X14	40	39.5	27
1BT9-12-16SPZ	G3/4"X14	R1"X11	43.5	50	33
1BT9-12-20SPZ	G3/4"X14	R1.1/4"X11	48	56.5	41
1BT9-16SPZ	G1"X11	R1"X11	46	50	33
1BT9-16-08SPZ	G1"X11	R1/2"X14	46	43	33
1BT9-16-12SPZ	G1"X11	R3/4"X14	46	47.5	33
1BT9-16-20SPZ	G1"X11	R1.1/4"X11	50.5	56.5	41
1BT9-20SPZ	G1.1/4"X11	R1.1/4"X11	52	59	41
1BT9-20-12SPZ	G1.1/4"X11	R3/4"X14	50.5	54	41
1BT9-20-16SPZ	G1.1/4"X11	R1"X11	52	56.5	41
1BT9-20-24SPZ	G1.1/4"X11	R1.1/2"X11	54.5	62.5	48
1BT9-24SPZ	G1.1/2"X11	R1.1/2"X11	57.5	62	48
1BT9-24-20SPZ	G1.1/2"X11	R1.1/4"X11	57.5	61	48
1BT9-24-32SPZ	G1.1/2"X11	R2"X11	66	75	63
1BT9-32SPZ	G2"X11	R2"X11	67	75	63
1BT9-32-24SPZ	G2"X11	R1.1/2"X11	68	72	63

过渡接头 ADAPTER




2B

英管外螺纹60°内锥或六角端面用组合垫密封 /
英管内螺纹60°外锥
BSP MALE DOUBLE USE FOR 60° CONE SEAT
OR BONDED SEAL / BSP FEMALE 60° CONE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS				
	E	F	A	B	L	S1	S2
2B-02Z	G1/8"X28	G1/8"X28	10	5.5	25	14	14
2B-02-04Z	G1/8"X28	G1/4"X19	10	5.5	27	14	19
2B-04Z	G1/4"X19	G1/4"X19	12	5.5	29	19	19
2B-04-06Z	G1/4"X19	G3/8"X19	12	6.3	30.5	19	22
2B-04-08Z	G1/4"X19	G1/2"X14	12	7.5	32	19	27
2B-06Z	G3/8"X19	G3/8"X19	13.5	6.3	34	22	22
2B-06-08Z	G3/8"X19	G1/2"X14	13.5	7.5	35.5	22	27
2B-06-10Z	G3/8"X19	G5/8"X14	13.5	9.5	36	22	30
2B-08Z	G1/2"X14	G1/2"X14	16	7.5	40	27	27
2B-08-06Z	G1/2"X14	G3/8"X19	16	6.3	38.2	27	22
2B-08-12Z	G1/2"X14	G3/4"X14	16	10.9	41	27	32
2B-10Z	G5/8"X14	G5/8"X14	17.5	9.5	42	30	30
2B-10-08Z	G5/8"X14	G1/2"X14	18	7.5	41.5	30	27
2B-10-12Z	G5/8"X14	G3/4"X14	17.5	10.9	42.5	30	32
2B-12Z	G3/4"X14	G3/4"X14	18.5	10.9	44.5	32	32
2B-12-10Z	G3/4"X14	G5/8"X14	18.5	9.5	44	32	30
2B-12-16Z	G3/4"X14	G1"X11	18.5	11.7	46	32	41
2B-16Z	G1"X11	G1"X11	20.5	11.7	50	41	41
2B-16-12Z	G1"X11	G3/4"X14	20.5	10.9	48	41	32
2B-16-20Z	G1"X11	G1.1/4"X11	20.5	10.1	53	41	50
2B-20Z	G1.1/4"X11	G1.1/4"X11	20.5	10.1	55	50	50
2B-20-16Z	G1.1/4"X11	G1"X11	20.5	11.7	52	50	41
2B-20-24Z	G1.1/4"X11	G1.1/2"X11	20.5	12.5	55.5	50	55
2B-24Z	G1.1/2"X11	G1.1/2"X11	23	12.5	58	55	55
2B-32Z	G2"X11	G2"X11	25.5	16.1	63.5	70	70


过渡接头 ADAPTER



2B9

英管外螺纹60°内锥 /
英管内螺纹60°外锥
BSP MALE 60° SEAT /
BSP FEMALE 60° CONE 90° ELBOW

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS			
	E	F	A	B	S1	S2
2B9-02Z	G1/8"X28	G1/8"X28	19.8	5.5	11	14
2B9-04Z	G1/4"X19	G1/4"X19	24.5	5.5	14	19
2B9-04-06Z	G1/4"X19	G3/8"X19	25	6.3	14	22
2B9-06Z	G3/8"X19	G3/8"X19	27.5	6.3	16	22
2B9-06-04Z	G3/8"X19	G1/4"X19	27.5	5.5	16	19
2B9-08Z	G1/2"X14	G1/2"X14	34.5	7.5	22	27
2B9-08-06Z	G1/2"X14	G3/8"X19	34.5	6.3	22	22
2B9-10Z	G5/8"X14	G5/8"X14	35	9.5	22	30
2B9-10-08Z	G5/8"X14	G1/2"X14	35	7.5	22	27
2B9-12Z	G3/4"X14	G3/4"X14	40	10.9	27	32
2B9-16Z	G1"X11	G1"X11	46	11.7	33	41
2B9-20Z	G1.1/4"X11	G1.1/4"X11	50.5	10.1	41	50
2B9-24Z	G1.1/2"X11	G1.1/2"X11	57.5	12.5	48	55
2B9-32Z	G2"X11	G2"X11	72.5	16.1	63	70




2B-G

英管螺纹60°内锥 / 英管内螺纹表接头
BSP MALE 60° SEAT / BSP FEMALE PRESSURE
GAUGE CONNECTORS

代号 PART NO.	螺 纹 THREAD		紫铜片COPPER WASHER F端	尺 寸 DIMENSIONS				
	E	F		A	B	L	S1	S2
2B-02-04GZ	G1/8"X28	G1/4"X19	DP-B04G	10	12	24.5	14	19
2B-04GZ	G1/4"X19	G1/4"X19	DP-B04G	12	12	26.5	19	19
2B-04-08GZ	G1/4"X19	G1/2"X14	DP-B08G	12	16	29	19	27
2B-06-04GZ	G3/8"X19	G1/4"X19	DP-B04G	13.5	12	30	22	19
2B-08-04GZ	G1/2"X14	G1/4"X19	DP-B04G	16	12	34.5	27	19
2B-08GZ	G1/2"X14	G1/2"X14	DP-B08G	16	16	37	27	27

过渡接头 ADAPTER




2BJ

英管外螺纹60°内锥或六角端面用组合垫密封 /
美制JIC内螺纹74°内锥
BSP MALE DOUBLE USE FOR 60° CONE SEAT
OR BONDED SEAL / JIC FEMALE 74° SEAT

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS				
	E	F	A	B	L	S1	S2
2BJ-02-04Z	G1/8"X28	7/16"X20	10	9.3	24	14	14
2BJ-02-06Z	G1/8"X28	9/16"X18	10	10.5	24.5	14	19
2BJ-04Z	G1/4"X19	7/16"X20	12	9.3	26	19	14
2BJ-04-05Z	G1/4"X19	1/2"X20	12	9.5	26.5	19	17
2BJ-04-06Z	G1/4"X19	9/16"X18	12	10.5	27	19	19
2BJ-04-08Z	G1/4"X19	3/4"X16	12	11	28.5	19	24
2BJ-06Z	G3/8"X19	9/16"X18	13.5	10.5	30.5	22	19
2BJ-06-08Z	G3/8"X19	3/4"X16	13.5	11	32.5	22	24
2BJ-06-10Z	G3/8"X19	7/8"X14	13.5	13	33	22	27
2BJ-08Z	G1/2"X14	3/4"X16	16	11	37	27	24
2BJ-08-06Z	G1/2"X14	9/16"X18	16	10.5	35	27	19
2BJ-08-10Z	G1/2"X14	7/8"X14	16	13	37.5	27	27
2BJ-10Z	G5/8"X14	7/8"X14	17.5	13	37.5	30	27
2BJ-12Z	G3/4"X14	1.1/16"X12	18.5	14.5	42	32	32
2BJ-12-08Z	G3/4"X14	3/4"X16	18.5	11	40	32	24
2BJ-12-10Z	G3/4"X14	7/8"X14	18.5	13	41	32	27
2BJ-12-16Z	G3/4"X14	1.5/16"X12	18.5	16	42	32	41
2BJ-16Z	G1"X11	1.5/16"X12	20.5	16	47	41	41
2BJ-16-20Z	G1"X11	1.5/8"X12	20.5	17	50	41	50
2BJ-20Z	G1.1/4"X11	1.5/8"X12	20.5	16.1	52	50	50
2BJ-20-24Z	G1.1/4"X11	1.7/8"X12	20.5	18.6	53.5	50	60
2BJ-24Z	G1.1/2"X11	1.7/8"X12	23	18.6	56.5	55	60
2BJ-32Z	G2"X11	2.1/2"X12	25.5	23.8	60	70	75

过渡接头 ADAPTER




2GB

英管外螺纹O形圈/英管内螺纹60°外锥
BSP MALE O-RING/BSP FEMALE 60° CONE

代号 PART NO.	螺 纹 THREAD		O形圈 O-RING	尺 寸 DIMENSIONS				
	E	F		A	B	L	S1	S2
2GB-02Z	G1/8"X28	G1/8"X28	O7.97X1.88	9.5	5.5	24.5	14	14
2GB-04-02Z	G1/4"X19	G1/8"X28	O111	10	5.5	25	19	14
2GB-04Z	G1/4"X19	G1/4"X19	O111	11	5.5	29.5	19	19
2GB-04-06Z	G1/4"X19	G3/8"X19	O111	10	6.3	28.2	19	22
2GB-06Z	G3/8"X19	G3/8"X19	O113	11.5	6.3	32	24	22
2GB-06-04Z	G3/8"X19	G1/4"X19	O113	11.5	5.5	30.5	24	19
2GB-06-08Z	G3/8"X19	G1/2"X14	O113	11.5	7.5	34	24	27
2GB-08Z	G1/2"X14	G1/2"X14	O17.86X2.62	14	7.5	38	27	27
2GB-08-06Z	G1/2"X14	G3/8"X19	O17.86X2.62	14	6.3	36.2	27	22
2GB-08-10Z	G1/2"X14	G5/8"X14	O17.86X2.62	14	9.5	38.5	27	30
2GB-08-12Z	G1/2"X14	G3/4"X14	O17.86X2.62	14	10.9	39.1	27	32
2GB-12Z	G3/4"X14	G3/4"X14	O119	15.5	10.9	41	36	32
2GB-12-08Z	G3/4"X14	G1/2"X14	O119	15.5	7.5	39.5	36	27
2GB-12-16Z	G3/4"X14	G1"X11	O119	15.5	11.7	41.8	36	41
2GB-16Z	G1"X11	G1"X11	O217	18.6	11.7	46.5	41	41
2GB-16-12Z	G1"X11	G3/4"X14	O217	18	10.9	46.1	41	32
2GB-20Z	G1.1/4"X11	G1.1/4"X11	O222	20	10.1	55	50	50
2GB-20-16Z	G1.1/4"X11	G1"X11	O222	20	11.7	51.3	50	41
2GB-24Z	G1.1/2"X11	G1.1/2"X11	O224	21.5	13	55.5	60	55

注：E螺纹端与ISO 1179-1油口匹配使用。 Note: E thread end fit with ISO1179-1 port.

过渡接头 ADAPTER



2HB-N


公制外螺纹O形圈/英制内螺纹60°外锥面
METRIC MALE O-RING/BSPP FEMALE 60°CONE

C

代号 PART NO.	螺纹 THREAD		O形圈 O-RING	尺寸 DIMENSIONS				
	E	F	E端	A	B	L	S1	S2
2HB-10-02NZ	M10X1	G1/8"X28	O8.1X1.6	8.5	5.5	23.5	14	14
2HB-12-04NZ	M12X1.5	G1/4"X19	O9.3X2.2	11	5.5	28	17	19
2HB-14-04NZ	M14X1.5	G1/4"X19	O11.3X2.2	11	5.5	28	19	19
2HB-16-06NZ	M16X1.5	G3/8"X19	O13.3X2.2	11.5	6.3	31.7	22	22
2HB-18-06NZ	M18X1.5	G3/8"X19	O15.3X2.2	12.5	6.3	34	24	22
2HB-18-08NZ	M18X1.5	G1/2"X14	O15.3X2.2	12.5	7.5	34.5	24	27
2HB-22-08NZ	M22X1.5	G1/2"X14	O19.3X2.2	13	7.5	37	27	27
2HB-22-10NZ	M22X1.5	G5/8"X14	O19.3X2.2	13	9.5	37.5	27	30
2HB-22-12NZ	M22X1.5	G3/4"X14	O19.3X2.2	13	10.9	38.1	27	32
2HB-27-12NZ	M27X2	G3/4"X14	O23.6X2.9	16	10.9	44.5	32	32
2HB-27-16NZ	M27X2	G1"X11	O23.6X2.9	16	11.7	43.3	32	41
2HB-33-16NZ	M33X2	G1"X11	O29.6X2.9	16	11.7	45.3	41	41
2HB-42-20NZ	M42X2	G1.1/4"X11	O38.6X2.9	16	11	49.5	50	50
2HB-48-24NZ	M48X2	G1.1/2"X11	O44.6X2.9	17.5	13	51.5	55	55

注：E螺纹端与ISO 6149-1油口匹配使用。 Note: E thread end fit with ISO 6149-1 port.

过渡接头 ADAPTER




2NB

布锥管外螺纹 / 英管内螺纹60° 外锥
NPT MALE / BSP FEMALE 60° CONE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS				
	E	F	A	B	L	S1	S2
2NB-02Z	Z1/8"X27	G1/8"X28	10.5	5.5	25.5	12	14
2NB-02-04Z	Z1/8"X27	G1/4"X19	10.5	5.5	27	14	19
2NB-04Z	Z1/4"X18	G1/4"X19	15	5.5	31	17	19
2NB-04-06Z	Z1/4"X18	G3/8"X19	15	6.3	32.5	17	22
2NB-04-08Z	Z1/4"X18	G1/2"X14	15	7.5	35	19	27
2NB-06Z	Z3/8"X18	G3/8"X19	16	6.3	33.5	19	22
2NB-06-08Z	Z3/8"X18	G1/2"X14	16	7.5	36	19	27
2NB-08Z	Z1/2"X14	G1/2"X14	19.5	7.5	41	22	27
2NB-08-06Z	Z1/2"X14	G3/8"X19	19.5	6.3	39.5	24	22
2NB-08-12Z	Z1/2"X14	G3/4"X14	19.5	10.9	44.5	27	32
2NB-12Z	Z3/4"X14	G3/4"X14	19.5	10.9	44.5	30	32
2NB-12-16Z	Z3/4"X14	G1"X11	19.5	11.7	46.5	32	41
2NB-16Z	Z1"X11.5	G1"X11	25.5	11.7	52.5	36	41
2NB-16-20Z	Z1"X11.5	G1.1/4"X11	25.5	10.1	59.5	41	50
2NB-20Z	Z1.1/4"X11.5	G1.1/4"X11	26.5	10.1	59.5	46	50
2NB-24Z	Z1.1/2"X11.5	G1.1/2"X11	27.5	12.5	62	50	55
2NB-32Z	Z2"X11.5	G2"X11	27.5	16.1	64.5	65	70

过渡接头 ADAPTER




2OB

SAE外螺纹带O形圈/英管内螺纹60° 外锥
SAE O-RING BOSS/BSP FEMALE 60° CONE

C

代号 PART NO.	螺 纹 THREAD		O形圈 O-RING	尺 寸 DIMENSIONS				
	E	F		A	B	L	S1	S2
2OB-04Z	7/16"X20	G1/4"X19	O904	9.1	5.5	26.2	14	19
2OB-04-06Z	7/16"X20	G3/8"X19	O904	9.1	6.3	27	17	22
2OB-05-06Z	1/2"X20	G3/8"X19	O905	9.1	6.3	27.5	17	22
2OB-06Z	9/16"X18	G3/8"X19	O906	9.9	6.3	28	17	22
2OB-06-04Z	9/16"X18	G1/4"X19	O906	9.9	5.5	27	17	19
2OB-06-08Z	9/16"X18	G1/2"X14	O906	9.9	7.5	30	19	27
2OB-08Z	3/4"X16	G1/2"X14	O908	11.1	7.5	33	22	27
2OB-08-06Z	3/4"X16	G3/8"X19	O908	11.1	6.3	31	22	22
2OB-08-12Z	3/4"X16	G3/4"X14	O908	11.1	10.9	36	27	32
2OB-10-06Z	7/8"X14	G3/8"X19	O910	12.7	6.3	35	27	22
2OB-10-08Z	7/8"X14	G1/2"X14	O910	12.7	7.5	36.5	27	27
2OB-10-12Z	7/8"X14	G3/4"X14	O910	12.7	10.9	37.5	27	32
2OB-12-08Z	1.1/16"X12	G1/2"X14	O912	15.1	7.5	40	32	27
2OB-12Z	1.1/16"X12	G3/4"X14	O912	15.1	10.9	41	32	32
2OB-12-16Z	1.1/16"X12	G1"X11	O912	15.1	11.7	42	32	41
2OB-16-12Z	1.5/16"X12	G3/4"X14	O916	15.1	10.9	41	38	32
2OB-16Z	1.5/16"X12	G1"X11	O916	15.1	11.7	42	38	41
2OB-16-20Z	1.5/16"X12	G1.1/4"X11	O916	15.1	10.1	48	41	50
2OB-20Z	1.5/8"X12	G1.1/4"X11	O920	15.1	10.1	49.5	50	50
2OB-20-24Z	1.5/8"X12	G1.1/2"X11	O920	15.1	12.5	50	50	55
2OB-24Z	1.7/8"X12	G1.1/2"X11	O924	15.1	12.5	50	55	55

过渡接头 ADAPTER




2TB-SP

英锥管外螺纹 / 英管内螺纹60° 外锥
BSPT MALE / BSP FEMALE 60° CONE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS				
	E	F	A	B	L	S1	S2
2TB-02SPZ	R1/8"X28	G1/8"X28	10	5.5	25	12	14
2TB-04SPZ	R1/4"X19	G1/4"X19	14.5	5.5	31.5	17	19
2TB-06SPZ	R3/8"X19	G3/8"X19	15	6.3	33	19	22
2TB-06-04SPZ	R3/8"X19	G1/4"X19	15	5.5	32	19	19
2TB-06-08SPZ	R3/8"X19	G1/2"X14	15	7.5	35	19	27
2TB-08SPZ	R1/2"X14	G1/2"X14	20	7.5	42	22	27
2TB-08-06SPZ	R1/2"X14	G3/8"X19	20	6.3	40	22	22
2TB-08-12SPZ	R1/2"X14	G3/4"X14	20	10.9	45	27	32
2TB-12SPZ	R3/4"X14	G3/4"X14	20	10.9	45	30	32
2TB-12-08SPZ	R3/4"X14	G1/2"X14	20	7.5	44	30	27
2TB-12-16SPZ	R3/4"X14	G1"X11	20	11.7	47	32	41
2TB-16SPZ	R1"X11	G1"X11	25.5	11.7	52.5	36	41
2TB-16-12SPZ	R1"X11	G3/4"X14	25.5	10.9	51.5	36	32
2TB-20-16SPZ	R1.1/4"X11	G1"X11	26.5	11.7	55.5	46	41
2TB-20SPZ	R1.1/4"X11	G1.1/4"X11	26.5	10.1	59	46	50
2TB-24SPZ	R1.1/2"X11	G1.1/2"X11	26.5	12.5	61.5	50	55
2TB-32SPZ	R2"X11	G2"X11	30	16.1	67	65	70


过渡接头 ADAPTER



2TB9-SP

英锥管外螺纹 / 英管内螺纹60°外锥 90° 弯
BSPT MALE / BSP FEMALE 60° CONE 90° ELBOW

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS			
	E	F	A	B	S1	S2
2TB9-02SPZ	R1/8"X28	G1/8"X28	21	5.5	11	14
2TB9-04SPZ	R1/4"X19	G1/4"X19	25.5	5.5	14	19
2TB9-06SPZ	R3/8"X19	G3/8"X19	28.5	6.3	16	22
2TB9-06-08SPZ	R3/8"X19	G3/8"X19	31	7.5	19	27
2TB9-08-06SPZ	R1/2"X14	G1/2"X14	36	6.3	22	22
2TB9-08SPZ	R1/2"X14	G1/2"X14	36	7.5	22	27
2TB9-08-12SPZ	R1/2"X14	G1/2"X14	37	10.9	24	32
2TB9-12-08SPZ	R3/4"X14	G3/4"X14	43.5	7.5	27	27
2TB9-12SPZ	R3/4"X14	G3/4"X14	43.5	10.9	27	32
2TB9-16SPZ	R1"X11	G1"X11	50	11.7	33	41
2TB9-20SPZ	R1.1/4"X11	G1.1/4"X11	57	10.1	41	50
2TB9-24SPZ	R1.1/2"X11	G1.1/2"X11	62.5	12.5	48	55




2TB-GSP

英锥管外螺纹 / 英管内螺纹表接头
BSPT MALE / BSP FEMALE PRESSURE
GAUGE CONNECTORS

代号 PART NO.	螺 纹 THREAD		紫铜片COPPER WASHER F端	尺 寸 DIMENSIONS				
	E	F		A	B	L	S1	S2
2TB-02-04GSPZ	R1/8"X28	G1/4"X19	DP-B04G	10	14.5	24.5	12	19
2TB-04GSPZ	R1/4"X19	G1/4"X19	DP-B04G	14.5	12	29	17	19
2TB-04-08GSPZ	R1/4"X19	G1/2"X14	DP-B08G	14.5	16	31.5	19	27
2TB-06-04GSPZ	R3/8"X19	G1/4"X19	DP-B04G	15	12	29.5	19	19
2TB-08-04GSPZ	R1/2"X14	G1/4"X19	DP-B04G	20	12	36.5	22	19
2TB-08GSPZ	R1/2"X14	G1/2"X14	DP-B08G	20	16	39	22	27

过渡接头 ADAPTER




3B

英管内螺纹60° 外锥
BSP FEMALE 60° CONE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS				
	E	F	A	B	L	S1	S2
3B-02Z	G1/8"X28	G1/8"X28	5.5	5.5	21	14	14
3B-02-04Z	G1/8"X28	G1/4"X19	5.5	5.5	23	14	19
3B-04Z	G1/4"X19	G1/4"X19	5.5	5.5	25	19	19
3B-04-06Z	G1/4"X19	G3/8"X19	5.5	6.3	26.5	19	22
3B-04-08Z	G1/4"X19	G1/2"X14	5.5	7.5	28.5	19	27
3B-06Z	G3/8"X19	G3/8"X19	6.3	6.3	27	22	22
3B-06-08Z	G3/8"X19	G1/2"X14	6.3	7.5	29.5	22	27
3B-08Z	G1/2"X14	G1/2"X14	7.5	7.5	31	27	27
3B-08-10Z	G1/2"X14	G5/8"X14	7.5	9.5	31.5	27	30
3B-08-12Z	G1/2"X14	G3/4"X14	7.5	10.9	32.5	27	32
3B-10Z	G5/8"X14	G5/8"X14	9.5	9.5	31.5	30	30
3B-10-12Z	G5/8"X14	G3/4"X14	9.5	10.9	33	30	32
3B-12Z	G3/4"X14	G3/4"X14	10.9	10.9	33.5	32	32
3B-12-16Z	G3/4"X14	G1"X11	10.9	11.7	35	32	41
3B-16Z	G1"X11	G1"X11	11.7	11.7	36.5	41	41
3B-16-20Z	G1"X11	G1.1/4"X11	11.7	10.1	39	41	50
3B-20Z	G1.1/4"X11	G1.1/4"X11	10.1	10.1	40.5	50	50
3B-24Z	G1.1/2"X11	G1.1/2"X11	12.5	12.5	42	55	55
3B-32Z	G2"X11	G2"X11	16.1	16.1	47	70	70


过渡接头 ADAPTER



4B

英管外螺纹60°内锥或六角端面用组合垫密封 堵头
BSP MALE DOUBLE USE FOR 60° CONE SEAT
OR BONDED SEAL PLUG

代号 PART NO.	螺 纹 THREAD	尺 寸 DIMENSIONS		
	E	A	L	S1
4B-02Z	G1/8"X28	10	16	14
4B-04Z	G1/4"X19	12	18	19
4B-06Z	G3/8"X19	13.5	21.5	22
4B-08Z	G1/2"X14	16	26	27
4B-10Z	G5/8"X14	17.5	27.5	30
4B-12Z	G3/4"X14	18.5	29.5	32
4B-16Z	G1"X11	20.5	34	41
4B-20Z	G1.1/4"X11	20.5	37.5	50
4B-24Z	G1.1/2"X11	23	40	55
4B-32Z	G2"X11	25.5	43.5	70




4BN-WD

英管外螺纹胶垫密封 内六角堵头
BSP MALE CAPTIVE SEAL HOLLOW HEX PLUG

代号 PART NO.	螺 纹 THREAD	胶 垫 CAPTIVE	尺 寸 DIMENSIONS		
	E	E端	A	L	S1
4BN-02WDZ	G1/8"X28	WD-B02	8	12.2	5
4BN-04WDZ	G1/4"X19	WD-B04	12	17.2	6
4BN-06WDZ	G3/8"X19	WD-B06	12	17.2	8
4BN-08WDZ	G1/2"X14	WD-B08	14	19.2	10
4BN-12WDZ	G3/4"X14	WD-B12	16	21.2	12
4BN-16WDZ	G1"X11	WD-B16	16	22.8	17
4BN-20WDZ	G1.1/4"X11	WD-B20	20	26.8	22
4BN-24WDZ	G1.1/2"X11	WD-B24	22	28.8	24


过渡接头 ADAPTER



4B-WD

英管外螺纹胶垫密封堵头
BSP MALE CAPTIVE SEAL PLUG

代号 PART NO.	螺纹 THREAD	胶 垫 CAPTIVE	尺 寸 DIMENSIONS		
	E	E端	A	L	S1
4B-02WDZ	G1/8"X28	WD-B02	8	15.5	14
4B-04WDZ	G1/4"X19	WD-B04	12	19.6	19
4B-06WDZ	G3/8"X19	WD-B06	12	22.5	22
4B-08WDZ	G1/2"X14	WD-B08	14	25	27
4B-12WDZ	G3/4"X14	WD-B12	16	29	32
4B-16WDZ	G1"X11	WD-B16	18	35	41
4B-20WDZ	G1.1/4"X11	WD-B20	20	37	50
4B-24WDZ	G1.1/2"X11	WD-B24	22	40	55




5B-G

英管外螺纹60°内锥或六角端面用
组合垫密封 / 英管内螺纹表接头
BSP MALE DOUBLE USE FOR 60° CONE SEAT
OR BONDED SEAL / BSP FEMALE PRESSURE
GAUGE CONNECTORS

代号 PART NO.	螺 纹 THREAD		紫铜片COPPER WASHER	尺 寸 DIMENSIONS			
	E	F	F端	A	B	L	S1
5B-04GZ	G1/4"x19	G1/4"X19	DP-B04G	12	11	26	19
5B-06-04GZ	G3/8"x19	G1/4"X19	DP-B04G	13.5	11	28.5	22
5B-06-08GZ	G3/8"x19	G1/2"X14	DP-B08G	13.5	17	35.5	27
5B-08GZ	G1/2"x14	G1/2"X14	DP-B08G	16	17	37	27

过渡接头 ADAPTER




5B

英管外螺纹60°内锥或六角端面用组合垫密封 /
英管内螺纹

BSP MALE DOUBLE USE FOR 60° CONE SEAT
OR BONDED SEAL / BSP FEMALE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS		
	E	F	A	L	S1
5B-02-04Z	G1/8"X28	G1/4"X19	10	29	19
5B-04-02Z	G1/4"X19	G 1/8"X28	12	28	19
5B-04Z	G1/4"X19	G1/4"X19	12	33	19
5B-04-06Z	G1/4"X19	G3/8"X19	12	36	22
5B-06-04Z	G3/8"X19	G1/4"X19	13.5	33.5	22
5B-06Z	G3/8"X19	G3/8"X19	13.5	37.5	22
5B-06-08Z	G3/8"X19	G1/2"X14	13.5	42.5	27
5B-08-06Z	G1/2"X14	G3/8"X19	16	38	27
5B-08Z	G1/2"X14	G1/2"X14	16	45	27
5B-08-10Z	G1/2"X14	G5/8"X14	16	46	30
5B-08-12Z	G1/2"X14	G3/4"X14	16	44.5	36
5B-10-08Z	G5/8"X14	G1/2"X14	17.5	41.5	30
5B-12-08Z	G3/4"X14	G1/2"X14	18.5	44.5	32
5B-12Z	G3/4"X14	G3/4"X14	18.5	48	36
5B-12-16Z	G3/4"X14	G1"X11	18.5	53.5	41
5B-16-12Z	G1"X11	G3/4"X14	20.5	47.5	41
5B-16Z	G1"X11	G1"X11	20.5	55.5	41
5B-16-20Z	G1"X11	G1.1/4"X11	20.5	56.5	50
5B-20-16Z	G1.1/4"X11	G1"X11	20.5	49	50
5B-20Z	G1.1/4"X11	G1.1/4"X11	20.5	52.5	50
5B-20-24Z	G1.1/4"X11	G1.1/2"X11	20.5	57.5	55
5B-24Z	G1.1/2"X11	G1.1/2"X11	23	58	55
5B-32-24Z	G2"X11	G1.1/2"X11	25.5	59.5	70
5B-32Z	G2"X11	G2"X11	25.5	62	70


过渡接头 ADAPTER



5BN

英管外螺纹60° 内锥或六角端面用
组合垫密封 / 美制布锥管内螺纹
BSP MALE DOUBLE USE FOR 60° CONE SEAT
OR BONDED SEAL / NPT FEMALE

代号 PART NO.	螺纹 THREAD		尺寸 DIMENSIONS		
	E	F	A	L	S1
5BN-04Z	G1/4"X19	Z1/4"X18	12	30	19
5BN-06Z	G3/8"X19	Z3/8"X18	13.5	33	22
5BN-08Z	G1/2"X14	Z1/2"X14	16	42	30
5BN-12Z	G3/4"X14	Z3/4"X14	18.5	44.5	36
5BN-16Z	G1"X11	Z1"X11.5	20.5	52	41
5BN-20Z	G1.1/4"X11	Z1.1/4"X11.5	20.5	55	50
5BN-24Z	G1.1/2"X11	Z1.1/2"X11.5	23	58	60
5BN-32Z	G2"X11	Z2"X11.5	25.5	62	70




5BT

英管外螺纹60°内锥或六角端面用
组合垫密封 / 英锥管内螺纹
BSP MALE DOUBLE USE FOR 60° CONE SEAT OR
BONDED SEAL / BSPT FEMALE

代号 PART NO.	螺纹 THREAD		尺寸 DIMENSIONS		
	E	F	A	L	S1
5BT-04-02Z	G1/4"X19	Rc1/8"X28	12	28	19
5BT-04Z	G1/4"X19	Rc1/4"X19	12	33.5	19
5BT-04-06Z	G1/4"X19	Rc3/8"X19	12	34	22
5BT-04-08Z	G1/4"X19	Rc1/2"X14	13.5	41.5	27
5BT-06-04Z	G3/8"X19	Rc1/4"X19	13.5	32	22
5BT-06Z	G3/8"X19	Rc3/8"X19	13.5	34.5	22
5BT-08-06Z	G1/2"X14	Rc3/8"X19	16	39.5	27
5BT-08Z	G1/2"X14	Rc1/2"X14	16	45	27
5BT-10-08Z	G5/8"X14	Rc1/2"X14	17.5	43.5	30
5BT-12-08Z	G3/4"X14	Rc1/2"X14	18.5	47.5	32
5BT-12Z	G3/4"X14	Rc3/4"X14	18.5	49	36
5BT-16-12Z	G1"X11	Rc3/4"X14	20.5	47.5	41
5BT-16Z	G1"X11	Rc1"X11	20.5	57	41
5BT-20Z	G1.1"X11	Rc1.1/4"X11	20.5	58.5	50
5BT-24Z	G1.1/2"X11	Rc1.1/2"X11	23	61	55

过渡接头 ADAPTER




5GB

英管外螺纹O形圈 / 英管内螺纹
BSP MALE O-RING / BSP FEMALE

C

代号 PART NO.	螺纹 THREAD		O形圈 O-RING	尺寸 DIMENSIONS		
	E	F	E端	A	L	S1
5GB-04Z	G1/4"X19	G1/4"X19	O111	11.2	32	19
5GB-04-06Z	G1/4"X19	G3/8"X19	O111	11.2	35.5	22
5GB-06Z	G3/8"X19	G3/8"X19	O113	11.5	36	24
5GB-06-08Z	G3/8"X19	G1/2"X14	O113	11.5	41	27
5GB-08Z	G1/2"X14	G1/2"X14	O17.86×2.62	14	41	27
5GB-08-12Z	G1/2"X14	G3/4"X14	O17.86×2.62	14	44.5	36
5GB-12Z	G3/4"X14	G3/4"X14	O119	14.5	44.5	36
5GB-12-16Z	G3/4"X14	G1"X11	O119	14.5	50	41
5GB-16-12Z	G1"X11	G3/4"X14	O217	18.6	45.5	41
5GB-16Z	G1"X11	G1"X11	O217	18.6	51	41

注：E螺纹端与ISO 1179-1油口匹配使用。 Note: E thread end fit with ISO1179-1 port.




5OB

SAE外螺纹O形圈/英管内螺纹
SAE MALE O-RING /BSP FEMALE

代号 PART NO.	螺纹 THREAD		O形圈 O-RING	尺寸 DIMENSIONS		
	E	F	E端	A	L	S1
5OB-04Z	7/16"X20	G1/4"X19	O904	9.1	30	19
5OB-06-04Z	9/16"X18	G1/4"X19	O906	9.9	30	19
5OB-06Z	9/16"X18	G3/8"X19	O906	9.9	33	22
5OB-08-06Z	3/4"X16	G3/8"X19	O908	11.1	35	24
5OB-08Z	3/4"X16	G1/2"X14	O908	11.1	39	27
5OB-10-08Z	7/8"X14	G1/2"X14	O910	12.7	40	27
5OB-12-08Z	1.1/16"X12	G1/2"X14	O912	15.1	41.5	30
5OB-12Z	1.1/16"X12	G3/4"X14	O912	15.1	44	32
5OB-16-12Z	1.5/16"X12	G3/4"X14	O916	15.1	42	36
5OB-16Z	1.5/16"X12	G1"X11	O916	15.1	48	41
5OB-20Z	1.5/8"X12	G1.1/4"X11	O920	15.1	50	50

注：E螺纹端与ISO 11926-1油口匹配使用。 Note: E thread end fit with ISO11926-1 port.

过渡接头 ADAPTER




5NB

布锥管外螺纹/英管内螺纹
NPT MALE/BSP FEMALE

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS		
	E	F	A	L	S1
5NB-02Z	Z1/8"X27	G1/8"X28	10.5	27	14
5NB-02-04Z	Z1/8"X27	G1/4"X19	10.5	32	19
5NB-04Z	Z1/4"X18	G1/4"X19	15	35	19
5NB-04-02Z	Z1/4"X18	G1/8"X28	15	32	17
5NB-04-06Z	Z1/4"X18	G3/8"X19	15	37	22
5NB-06Z	Z3/8"X18	G3/8"X19	16	38	22
5NB-06-04Z	Z3/8"X18	G1/4"X19	16	30	19
5NB-06-08Z	Z3/8"X18	G1/2"X14	16	41	27
5NB-08Z	Z1/2"X14	G1/2"X14	19.5	46	27
5NB-08-04Z	Z1/2"X14	G1/4"X19	19.5	27.5	22
5NB-08-06Z	Z1/2"X14	G3/8"X19	19.5	40	22
5NB-08-10Z	Z1/2"X14	G5/8"X14	19.5	48.5	36
5NB-08-12Z	Z1/2"X14	G3/4"X14	19.5	48.5	32
5NB-12Z	Z3/4"X14	G3/4"X14	19.5	48.5	36
5NB-12-04Z	Z3/4"X14	G1/4"X19	19.5	30	30
5NB-12-06Z	Z3/4"X14	G3/8"X19	19.5	29.5	27
5NB-12-08Z	Z3/4"X14	G1/2"X14	19.5	32	27
5NB-12-16Z	Z3/4"X14	G1"X11	19.5	53	41
5NB-12-20Z	Z3/4"X14	G1.1/4"X11	19.5	54	50
5NB-16Z	Z1"X11.5	G1"X11	25.5	59	41
5NB-16-04Z	Z1"X11.5	G1/4"X19	25.5	37	36
5NB-16-06Z	Z1"X11.5	G3/8"X19	25.5	37	36
5NB-16-08Z	Z1"X11.5	G1/2"X14	25.5	36.5	36
5NB-16-12Z	Z1"X11.5	G3/4"X14	25.5	37	36
5NB-16-20Z	Z1"X11.5	G1.1/4"X11	25.5	60	50
5NB-16-24Z	Z1"X11.5	G1.1/2"X11	25.5	62	55
5NB-20Z	Z1.1/4"X11.5	G1.1/4"X11	26.5	61	50
5NB-20-16Z	Z1.1/4"X11.5	G1"X11	26.5	42	46
5NB-20-24Z	Z1.1/4"X11.5	G1.1/2"X11	26.5	63	55
5NB-20-32Z	Z1.1/4"X11.5	G2"X11	26.5	67	70
5NB-24Z	Z1.1/2"X11.5	G1.1/2"X11	26.2	62.5	55
5NB-24-20Z	Z1.1/2"X11.5	G1.1/4"X11	27.5	58	50
5NB-24-32Z	Z1.1/2"X11.5	G2"X11	27.5	68	70
5NB-32Z	Z2"X11.5	G2"X11	27.5	66	70
5NB-32-16Z	Z2"X11.5	G1"X11	27.5	46	65
5NB-32-20Z	Z2"X11.5	G1.1/4"X11	27.5	44.5	65
5NB-32-24Z	Z2"X11.5	G1.1/2"X11	27.5	44.5	65

过渡接头 ADAPTER




5TB-SP

英锥管外螺纹/英管内螺纹
BSPT MALE/BSP FEMALE

C

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS		
	E	F	A	L	S1
5TB-02-04SPZ	R1/8"X28	G1/4"X19	10	31.5	19
5TB-04-06SPZ	R1/4"X19	G3/8"X19	14.5	38.5	22
5TB-04SPZ	R1/4"X19	G1/4"X19	14.5	35	19
5TB-06-04SPZ	R3/8"X19	G1/4"X19	15	35	19
5TB-06-08SPZ	R3/8"X19	G1/2"X14	15	43	27
5TB-06-12SPZ	R3/8"X19	G3/4"X14	15	44	36
5TB-06SPZ	R3/8"X19	G3/8"X19	15	39	22
5TB-08-06SPZ	R1/2"X14	G3/8"X19	20	44	22
5TB-08-12SPZ	R1/2"X14	G3/4"X14	20	50	36
5TB-08-16SPZ	R1/2"X14	G1"X11	20	52	41
5TB-08SPZ	R1/2"X14	G1/2"X14	20	48	27
5TB-12-08SPZ	R3/4"X14	G1/2"X14	20	48	30
5TB-12-16SPZ	R3/4"X14	G1"X11	20	54.5	41
5TB-12SPZ	R3/4"X14	G3/4"X14	20	49	36
5TB-16-12SPZ	R1"X11	G3/4"X14	25.5	55	36
5TB-16-20SPZ	R1"X11	G1.1/4"X11	25.5	61.5	50
5TB-16SPZ	R1"X11	G1"X11	25.5	59	41
5TB-20-08SPZ	R1.1/4"X11	G1/2"X14	26.5	39	46
5TB-20-12SPZ	R1.1/4"X11	G3/4"X14	26.5	39	46
5TB-20-24SPZ	R1.1/4"X11	G1.1/2"X11	26.5	63	55
5TB-20SPZ	R1.1/4"X11	G1.1/4"X11	26.5	61.5	50
5TB-24-16SPZ	R1.1/2"X11	G1"X11	26.5	40.5	55
5TB-24-20SPZ	R1.1/2"X11	G1.1/4"X11	26.5	62.5	50
5TB-24-32SPZ	R1.1/2"X11	G2"X11	26.5	65	70
5TB-24SPZ	R1.1/2"X11	G1.1/2"X11	26.5	61	55
5TB-32-24SPZ	R2"X11	G1.1/2"X11	30	61	65


过渡接头 ADAPTER




5TB9-SP

英锥管外螺纹/英管内螺纹 90°弯
BSPT MALE/BSP FEMALE 90° ELBOW

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS		
	E	F	A	B	S1
5TB9-02SPZ	R1/8"X28	G1/8"X28	24.5	20	16
5TB9-04SPZ	R1/4"X19	G1/4"X19	28.5	22	19
5TB9-06SPZ	R3/8"X19	G3/8"X19	33.5	26	24
5TB9-08SPZ	R1/2"X14	G1/2"X14	40.5	31	30
5TB9-12SPZ	R3/4"X14	G3/4"X14	47.5	37	33
5TB9-16SPZ	R1"X11	G1"X11	56.5	43	41



6B




6B-LN

英管外螺纹60° 内锥 过板接头
BSP MALE 60° SEAT BULKHEAD

代号 PART NO.		螺 纹 THREAD		尺 寸 DIMENSIONS				
接头体BODY	组件ASSEMBLY	E	F	A	B	L	S1	S2
6B-02Z	6B-02LNZ	G1/8"X28	G1/8"X28	10	33	49	14	14
6B-04Z	6B-04LNZ	G1/4"X19	G1/4"X19	12	35	53	19	19
6B-06Z	6B-06LNZ	G3/8"X19	G3/8"X19	13.5	35	56.5	22	22
6B-08Z	6B-08LNZ	G1/2"X14	G1/2"X14	16	39	65	27	27
6B-10Z	6B-10LNZ	G5/8"X14	G5/8"X14	17.5	40	67.5	30	30
6B-12Z	6B-12LNZ	G3/4"X14	G3/4"X14	18.5	42	71.5	32	32
6B-16Z	6B-16LNZ	G1"X11	G1"X11	20.5	50	84	41	41
6B-20Z	6B-20LNZ	G1.1/4"X11	G1.1/4"X11	20.5	52	89.5	50	50
6B-24Z	6B-24LNZ	G1.1/2"X11	G1.1/2"X11	23	55	93	55	55
6B-32Z	6B-32LNZ	G2"X11	G2"X11	25.5	55	97.5	70	70

过渡接头 ADAPTER




7B

英管内螺纹
BSP FEMALE

C

代号 PART NO.	螺 纹 THREAD		尺 寸 DIMENSIONS	
	E	F	L	S1
7B-02Z	G1/8"X28	G1/8"X28	22	14
7B-02-04Z	G1/8"X28	G1/4"X19	24	19
7B-04Z	G1/4"X19	G1/4"X19	24	19
7B-04-06Z	G1/4"X19	G3/8"X19	29	22
7B-06Z	G3/8"X19	G3/8"X19	26	22
7B-06-08Z	G3/8"X19	G1/2"X14	33	27
7B-08Z	G1/2"X14	G1/2"X14	32	27
7B-08-10Z	G1/2"X14	G5/8"X14	36	30
7B-10Z	G5/8"X14	G5/8"X14	36	30
7B-12Z	G3/4"X14	G3/4"X14	36	32
7B-12-16Z	G3/4"X14	G1"X11	43	41
7B-16Z	G1"X11	G1"X11	40	41
7B-16-20Z	G1"X11	G1.1/4"X11	46	50
7B-20Z	G1.1/4"X11	G1.1/4"X11	44	50
7B-20-24Z	G1.1/4"X11	G1.1/2"X11	48	55
7B-24Z	G1.1/2"X11	G1.1/2"X11	45	55
7B-24-32Z	G1.1/2"X11	G2"X11	56	70
7B-32Z	G2"X11	G2"X11	54	70


过渡接头 ADAPTER



7B9-PK

英管内螺纹 90° 弯
BSP FEMALE 90° ELBOW

代号 PART NO.	螺纹 THREAD		尺寸 DIMENSIONS		
	E	F	A	B	S1
7B9-02PKZ	G1/8"X28	G1/8"X28	20	20	16
7B9-04PKZ	G1/4"X19	G1/4"X19	22.5	22.5	19
7B9-06PKZ	G3/8"X19	G3/8"X19	26	26	24
7B9-08PKZ	G1/2"X14	G1/2"X14	31	31	27
7B9-12PKZ	G3/4"X14	G3/4"X14	34	34	33
7B9-16PKZ	G1"X11	G1"X11	42	42	41
7B9-20PKZ	G1.1/4"X11	G1.1/4"X11	48	48	50
7B9-24PKZ	G1.1/2"X11	G1.1/2"X11	53	53	60
7B9-32PKZ	G2"X11	G2"X11	62	62	70




7B-S

英管内螺纹/英管内螺纹60° 外锥
BSP FEMALE/BSP FEMALE 60° CONE

代号 PART NO.	螺纹 THREAD		尺寸 DIMENSIONS			
	E	F	B	L	S1	S2
7B-02SZ	G1/8"X28	G1/8"X28	5.5	29	14	14
7B-04SZ	G1/4"X19	G1/4"X19	5.5	32	19	19
7B-04-06SZ	G1/4"X19	G3/8"X19	6.3	33	19	22
7B-06SZ	G3/8"X19	G3/8"X19	6.3	36.5	22	22
7B-06-04SZ	G3/8"X19	G1/4"X19	5.5	35.5	22	19
7B-06-08SZ	G3/8"X19	G1/2"X14	7.5	37	22	27
7B-08-06SZ	G1/2"X14	G3/8"X19	6.3	41.5	27	22
7B-08SZ	G1/2"X14	G1/2"X14	7.5	42	27	27
7B-08-10SZ	G1/2"X14	G5/8"X14	9.5	43.5	27	30
7B-08-12SZ	G1/2"X14	G3/4"X14	10.9	42	27	32
7B-10-08SZ	G5/8"X14	G1/2"X14	7.5	44	30	27
7B-12-08SZ	G3/4"X14	G1/2"X14	7.5	44	32	27
7B-12SZ	G3/4"X14	G3/4"X14	10.9	45.5	32	32
7B-12-16SZ	G3/4"X14	G1"X11	11.7	47	36	41
7B-16-12SZ	G1"X11	G3/4"X14	10.9	50	41	32
7B-16SZ	G1"X11	G1"X11	11.7	51.5	41	41
7B-20SZ	G1.1/4"X11	G1.1/4"X11	10.1	55.5	50	50
7B-24SZ	G1.1/2"X11	G1.1/2"X11	12.5	57.5	55	55
7B-32SZ	G2"X11	G2"X11	16.1	61	70	70

过渡接头 ADAPTER




9B

英管内螺纹60° 外锥 堵头
BSP FEMALE 60° CONE PLUG

C

代号 PART NO.	螺 纹 THREAD	尺 寸 DIMENSIONS			
	E	A	L	S2	
9B-02Z	G1/8"X28	5.5	11.5	14	
9B-04Z	G1/4"X19	5.5	13.5	19	
9B-06Z	G3/8"X19	6.3	14.5	22	
9B-08Z	G1/2"X14	7.5	16	27	
9B-10Z	G5/8"X14	9.5	16.5	30	
9B-12Z	G3/4"X14	10.9	17.5	32	
9B-16Z	G1"X11	11.7	19	41	
9B-20Z	G1.1/4"X11	10.1	21.5	50	
9B-24Z	G1.1/2"X11	12.5	22	55	
9B-32Z	G2"X11	16.1	26.5	70	




AB

英管外螺纹60°内锥 三通
BSP MALE 60° SEAT TEE

代号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS			
	E	F	G	A	B	C	S1
AB-02Z	G1/8"X28	G1/8"X28	G1/8"X28	19.8	19.8	19.8	11
AB-04Z	G1/4"X19	G1/4"X19	G1/4"X19	24.5	24.5	24.5	14
AB-04-06-04Z	G1/4"X19	G3/8"X19	G1/4"X19	26.5	27.5	26.5	16
AB-06-04-06Z	G3/8"X19	G1/4"X19	G3/8"X19	27.5	26.5	27.5	16
AB-06Z	G3/8"X19	G3/8"X19	G3/8"X19	27.5	27.5	27.5	16
AB-06-08-06Z	G3/8"X19	G1/2"X14	G3/8"X19	31	34.5	31	22
AB-08-06-08Z	G1/2"X14	G3/8"X19	G1/2"X14	34.5	31	34.5	22
AB-08Z	G1/2"X14	G1/2"X14	G1/2"X14	34.5	34.5	34.5	22
AB-10Z	G5/8"X14	G5/8"X14	G5/8"X14	35	35	35	22
AB-12Z	G3/4"X14	G3/4"X14	G3/4"X14	40	40	40	27
AB-12-16-12Z	G3/4"X14	G1"X11	G3/4"X14	43.5	46	43.5	33
AB-16-12-16Z	G1"X11	G3/4"X14	G1"X11	46	43.5	46	33
AB-16Z	G1"X11	G1"X11	G1"X11	46	46	46	33
AB-20Z	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11	50.5	50.5	50.5	41
AB-24Z	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11	57.5	57.5	57.5	48
AB-32Z	G2"X11	G2"X11	G2"X11	72.5	72.5	72.5	63


过渡接头 ADAPTER



BB

英管外螺纹60° 内锥 / 英管内螺纹60° 外锥 分支三通
BSP MALE 60° SEAT / BSP FEMALE
60° CONE BRANCH TEE

代号 PAT NO.	螺纹 THREAD			尺寸 DIMENSIONS				
	E	F	G	A	B	C	S1	S2
BB-02Z	G1/8"X28	G1/8"X28	G1/8"X28	19.8	5.5	19.8	11	14
BB-04Z	G1/4"X19	G1/4"X19	G1/4"X19	24.5	5.5	24.5	14	19
BB-06Z	G3/8"X19	G3/8"X19	G3/8"X19	27.5	6.3	27.5	16	22
BB-08Z	G1/2"X14	G1/2"X14	G1/2"X14	34.5	7.5	34.5	22	27
BB-12Z	G3/4"X14	G3/4"X14	G3/4"X14	40	10.9	40	27	32
BB-16Z	G1"X11	G1"X11	G1"X11	46	11.7	46	33	41
BB-20Z	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11	50.5	10.1	50.5	41	50
BB-24Z	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11	57.5	12.5	57.5	48	55
BB-32Z	G2"X11	G2"X11	G2"X11	72.5	16.1	72.5	63	70




CB

英管外螺纹60° 内锥 / 英管内螺纹60° 外锥
主支三通
BSP MALE 60° SEAT / BSP FEMALE 60° CONE
RUN TEE

代号 PART NO.	螺纹 THREAD			尺寸 DIMENSIONS				
	E	F	G	A	B	C	S1	S2
CB-02Z	G1/8"X28	G1/8"X28	G1/8"X28	19.8	19.8	5.5	11	14
CB-04Z	G1/4"X19	G1/4"X19	G1/4"X19	25	25	5.5	14	19
CB-06Z	G3/8"X19	G3/8"X19	G3/8"X19	27.5	27.5	6.3	16	22
CB-08Z	G1/2"X14	G1/2"X14	G1/2"X14	34.5	34.5	7.5	22	27
CB-10Z	G5/8"X14	G5/8"X14	G5/8"X14	35	35	9.5	22	30
CB-12Z	G3/4"X14	G3/4"X14	G3/4"X14	40	40	10.9	27	32
CB-16Z	G1"X11	G1"X11	G1"X11	46	46	11.7	33	41
CB-20Z	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11	50.5	50.5	10.1	41	50
CB-24Z	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11	57.5	57.5	12.5	48	55
CB-32Z	G2"X11	G2"X11	G2"X11	72.5	72.5	16.1	63	70

过渡接头 ADAPTER


C



EB

英管内螺纹60° 外锥 / 英管外螺纹60° 内锥 分支三通
BSP FEMALE 60° CONE / BSP MALE 60° SEAT
BRANCH TEE

代号 PART NO.	螺纹 THREAD			尺寸 DIMENSIONS				
	E	F	G	A,C	B	S1	S2	S3
EB-02Z	G1/8"X28	G1/8"X28	G1/8"X28	5.5	19.5	11	14	14
EB-04Z	G1/4"X19	G1/4"X19	G1/4"X19	5.5	24.5	14	19	19
EB-06Z	G3/8"X19	G3/8"X19	G3/8"X19	6.3	27.5	16	22	22
EB-08Z	G1/2"X14	G1/2"X14	G1/2"X14	7.5	34.5	22	27	27
EB-10Z	G5/8"X14	G5/8"X14	G5/8"X14	9.5	35	22	30	30
EB-12Z	G3/4"X14	G3/4"X14	G3/4"X14	10.9	40	27	32	32
EB-16Z	G1"X11	G1"X11	G1"X11	11.7	46	33	41	41
EB-20Z	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11	10.1	50.5	41	50	50
EB-24Z	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11	12.5	57.5	48	55	55
EB-32Z	G2"X11	G2"X11	G2"X11	16.1	72.5	63	70	70




FB

英管内螺纹60° 外锥 / 英管外螺纹60° 内锥
主支三通
BSP FEMALE 60° CONE / BSP MALE 60° SEAT
RUN TEE

代号 PART NO.	螺纹 THREAD			尺寸 DIMENSIONS					
	E	F	G	A	B	C	S1	S2	S3
FB-02Z	G1/8"X28	G1/8"X28	G1/8"X28	5.5	5.5	19.5	11	14	14
FB-04Z	G1/4"X19	G1/4"X19	G1/4"X19	5.5	5.5	24.5	14	19	19
FB-06Z	G3/8"X19	G3/8"X19	G3/8"X19	6.3	6.3	27.5	16	22	22
FB-08Z	G1/2"X14	G1/2"X14	G1/2"X14	7.5	7.5	34.5	22	27	27
FB-10Z	G5/8"X14	G5/8"X14	G5/8"X14	9.5	9.5	35	22	30	30
FB-12Z	G3/4"X14	G3/4"X14	G3/4"X14	10.9	10.9	40	27	32	32
FB-12-08-12Z	G3/4"X14	G1/2"X14	G3/4"X14	10.9	7.5	40	27	32	27
FB-16Z	G1"X11	G1"X11	G1"X11	11.7	11.7	46	33	41	41
FB-20Z	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11	10.1	10.1	50.5	41	50	50
FB-24Z	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11	12.5	12.5	57.5	48	55	55
FB-32Z	G2"X11	G2"X11	G2"X11	16.1	16.1	72.5	63	70	70


过渡接头 ADAPTER



GB-PK

英管内螺纹 三通
BSP FEMALE TEE

代号 PART NO.	螺纹 THREAD			尺寸 DIMENSIONS			
	E	F	G	A	B	C	S1
GB-02PKZ	G1/8"X28	G1/8"X28	G1/8"X28	20	20	20	16
GB-04PKZ	G1/4"X19	G1/4"X19	G1/4"X19	22.5	22.5	22.5	19
GB-06PKZ	G3/8"X19	G3/8"X19	G3/8"X19	26	26	26	24
GB-08PKZ	G1/2"X14	G1/2"X14	G1/2"X14	31	31	31	27
GB-12PKZ	G3/4"X14	G3/4"X14	G3/4"X14	34	34	34	33
GB-16PKZ	G1"X11	G1"X11	G1"X11	42	42	42	41
GB-20PKZ	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11	48	48	48	50
GB-24PKZ	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11	53	53	53	60
GB-32PKZ	G2"X11	G2"X11	G2"X11	62	62	62	70



1S

日本英管外螺纹60°外锥
JIS GAS MALE 60°CONE

代号 PART NO.	螺纹 THREAD		尺寸 DIMENSIONS			
	E	F	A	B	L	S1
1S-02Z	G1/8"X28	G1/8"X28	12	12	30	14
1S-04Z	G1/4"X19	G1/4"X19	16	16	38	17
1S-06Z	G3/8"X19	G3/8"X19	18	18	42	19
1S-08Z	G1/2"X14	G1/2"X14	20	20	48	22
1S-12Z	G3/4"X14	G3/4"X14	22	22	54	30
1S-16Z	G1"X11	G1"X11	24	24	59	36
1S-20Z	G1.1/4"X11	G1.1/4"X11	27	27	67	46
1S-24Z	G1.1/2"X11	G1.1/2"X11	27	27	69	50
1S-32Z	G2"X11	G2"X11	30	30	77	65